

```
1: /**
2:  * Brandon Rodriguez
3:  * CS 3240
4:  * 09-19-17
5:  */
6:
7:
8: /**
9:  * Helper functions to have consistent value copying and error handling.
10:  *
11:  *
12:  * Copy Functions:
13:  *     Copy functions use memcpy to copy data, and error.c's err_dump on
14:  *     failure.
15:  *
16:  *     Copy functions require a "source" pointer of equivalent typing, and
17:  *     return a pointer to copied item's location.
18:  *
19:  *
20:  * String Functions:
21:  *     String manipulator functions to make string handling easier.
22:  *
23:  *     String manipulator functions require an "input" string and return
24:  *     a modified copy of original string.
25:  */
26:
27:
28: #include <ctype.h>
29: #include <string.h>
30: #include "apue.h"
31:
32:
33: // ***** //
34: // Copy Functions //
35: // ***** //
36:
37: /**
38:  * Copies string from destination to source.
39:  *
40:  * Return: Copy of source string.
41:  */
42: char* copy_string(char* source_ptr) {
43:     char* copy_ptr;
44:     copy_ptr = calloc((strlen(source_ptr) + 1), sizeof(char));
45:     if (copy_ptr != NULL) {
46:         memcpy(copy_ptr, source_ptr, ((strlen(source_ptr) + 1) * sizeof(char)));
47:     } else {
48:         err_dump("Could not allocate memory for string calloc.");
49:     }
50:     return copy_ptr;
51: }
52:
53:
54: /**
55:  * Copies string from destination to source.
56:  * Uses a buffer of indicated size.
57:  *
58:  * Return: Copy of source string.
59:  */
60: char* copy_string_with_buffer(char* source_ptr, int buffer_size) {
61:     char* copy_ptr;
62:     copy_ptr = calloc(buffer_size, sizeof(char));
63:     if (copy_ptr != NULL) {
```

110

100

we'll done. I like the
colors added

```
64:     memcpy(copy_ptr, source_ptr, ((strlen(source_ptr) + 1) * sizeof(char)));
65: } else {
66:     err_dump("Could not allocate memory for string calloc.");
67: }
68: return copy_ptr;
69: }
70:
71:
72: /**
73:  * Copies float from destination to source.
74:  *
75:  * Return: Copy of source int.
76:  */
77: int* copy_int(int* source_ptr) {
78:     int* copy_ptr;
79:     copy_ptr = calloc(1, (sizeof(int) + 1));
80:     if (copy_ptr != NULL) {
81:         memcpy(copy_ptr, source_ptr, sizeof(int));
82:     } else {
83:         err_dump("Could not allocate memory for int calloc.");
84:     }
85:     return copy_ptr;
86: }
87:
88:
89: /**
90:  * Copies float from destination to source.
91:  *
92:  * Return: Copy of source float.
93:  */
94: float* copy_float(float* source_ptr) {
95:     float* copy_ptr;
96:     copy_ptr = calloc(1, (sizeof(float) + 1));
97:     if (copy_ptr != NULL) {
98:         memcpy(copy_ptr, source_ptr, sizeof(float));
99:     } else {
100:         err_dump("Could not allocate memory for float calloc.");
101:     }
102:     return copy_ptr;
103: }
104:
105:
106: /**
107:  * Copies double from destination to source.
108:  *
109:  * Return: Copy of source double.
110:  */
111: double* copy_double(double* source_ptr) {
112:     double* copy_ptr;
113:     copy_ptr = calloc(1, (sizeof(double) + 1));
114:     if (copy_ptr != NULL) {
115:         memcpy(copy_ptr, source_ptr, sizeof(double));
116:     } else {
117:         err_dump("Could not allocate memory for double calloc.");
118:     }
119:     return copy_ptr;
120: }
121:
122:
123: // ***** //
124: // String Manipulation Functions //
125: // ***** //
126:
```

```
127: /**
128:  * Converts provided string to lowercase.
129:  *
130:  * Return: Lowercase version of initial string.
131:  */
132: char* to_lower_case(char* input_string) {
133:     int index = 0;
134:     char* return_string = calloc((strlen(input_string) + 1), sizeof(char));
135:     while (input_string[index]) {
136:         return_string[index] = tolower(input_string[index]);
137:         index++;
138:     }
139:     return return_string;
140: }
141:
142:
143: /**
144:  * Converts provided string to uppercase.
145:  *
146:  * Return: Uppercase version of initial string.
147:  */
148: char* to_upper_case(char* input_string) {
149:     int index = 0;
150:     char* return_string = calloc((strlen(input_string) + 1), sizeof(char));
151:     while (input_string[index]) {
152:         return_string[index] = toupper(input_string[index]);
153:         index++;
154:     }
155:     return return_string;
156: }
157:
158:
159: /**
160:  * Converts provided string to:
161:  *     First letter of each word is uppercase.
162:  *     All other letters lowercase.
163:  *
164:  * Return: Converted version of initial string.
165:  */
166: char* first_letter_upper(char* input_string) {
167:     int index = 0;
168:     char* return_string = calloc((strlen(input_string) + 1), sizeof(char));
169:     while (input_string[index]) {
170:         if (index == 0) { // First char is always upper.
171:             return_string[index] = toupper(input_string[index]);
172:         } else { // Check all other chars. If space preceeds, then upper.
173:             if (input_string[index - 1] == ' ') {
174:                 return_string[index] = toupper(input_string[index]);
175:             } else { // No space found.
176:                 return_string[index] = tolower(input_string[index]);
177:             }
178:         }
179:         index++;
180:     }
181:     return return_string;
182: }
183:
184:
185: /**
186:  * Removes quotes from provided string.
187:  *
188:  * Return: Quote-less version of initial string.
189:  */
```

```
190: char* remove_quotes(char* input_string) {
191:     size_t string_length = strlen(input_string);
192:     int orig_index;
193:     int replace_index = 0;
194:
195:     for (orig_index = 0; orig_index < string_length; orig_index++) {
196:         if (input_string[orig_index] != '\"') {
197:             input_string[replace_index] = input_string[orig_index];
198:             replace_index++;
199:         }
200:     }
201:
202:     // Fill rest of values with null terminators.
203:     while (replace_index < string_length) {
204:         input_string[replace_index] = '\\0';
205:         replace_index++;
206:     }
207:
208:     return input_string;
209: }
210:
211:
212: /**
213:  * Removes newline character from string.
214:  *
215:  * Return: Newline-less version of initial string.
216:  */
217: char* remove_newline(char* input_string) {
218:     size_t string_length = strlen(input_string);
219:     int orig_index;
220:     int replace_index = 0;
221:
222:     for (orig_index = 0; orig_index < string_length; orig_index++) {
223:         if (input_string[orig_index] != '\\n') {
224:             input_string[replace_index] = input_string[orig_index];
225:             replace_index++;
226:         }
227:     }
228:
229:     // Fill rest of values with null terminators.
230:     while (replace_index < string_length) {
231:         input_string[replace_index] = '\\0';
232:         replace_index++;
233:     }
234:
235:     return input_string;
236: }
```

```
1: /**
2:  * Brandon Rodriguez
3:  * CS 3240
4:  * 10-04-16
5:  */
6:
7:
8: /**
9:  * Standard linked list, in C.
10: */
11:
12:
13: // Import headers.
14: #include "apue.h"
15: #include "HelperHeader.h"
16: #include "LinkedList.h"
17:
18:
19: /**
20:  * Creates a new node with provided data.
21:  */
22: directory_node* create_node(char* absolute_path) {
23:     directory_node* new_node = calloc(1, sizeof(node_t));
24:     new_node->absolute_path = copy_string(absolute_path);
25:     return new_node;
26: }
27:
28:
29:
30: /**
31:  * Enqueues node from tail of list.
32:  *
33:  * Return: 1 on success or 0 on failure.
34:  */
35: int enqueue_node(char* absolute_path) {
36:     directory_node* a_node = create_node(absolute_path);
37:     if (a_node == NULL) {
38:         return 0;
39:     }
40:
41:     // Check if directories already exist within queue.
42:     if (head_node == NULL) {
43:         head_node = a_node;
44:         tail_node = a_node;
45:     } else {
46:         tail_node->next_node = a_node;
47:         tail_node = a_node;
48:     }
49:     return 1;
50: }
51:
52:
53: /**
54:  * Dequeues node from head of list.
55:  *
56:  * Return: Noded on success or null on failure.
57:  */
58: directory_node* dequeue_node() {
59:     directory_node* a_node;
60:
61:     // Check that there are nodes to return.
62:     if (head_node == NULL) {
63:         return NULL;
```

```
64:     }
65:
66:     // Return current head node.
67:     a_node = head_node;
68:     head_node = head_node->next_node;
69:     a_node->next_node = NULL;
70:     return a_node;
71: }
```

```
1: /**
2:  * Brandon Rodriguez
3:  * CS 3240
4:  * 10-04-16
5:  * a2 (Assignment 2)
6:  */
7:
8:
9: /**
10:  * Description:
11:  * Read from a provided directory path (relative or absolute).
12:  * For all files and folders in said path, print out information,
13:  * using a "breadth-first" approach.
14:  *
15:  * To change permissions within the TestingDirectory folders,
16:  * navigate to /TestingDirectory/root/dir_permission_variations/
17:  * and run the file_permission_setup script.
18:  *
19:  * Note: Because of how this functions, you will need to sudo
20:  * if you want to remove the folder afterwards. To reset,
21:  * simply delete the entire permission_variations folder and
22:  * run "git reset --hard".
23:  */
24:
25:
26: /**
27:  * Known Issues:
28:  *
29:  */
30:
31:
32: #define _BSD_SOURCE
33:
34: // Import headers.
35: #include <dirent.h>
36: #include <stdio.h>
37: #include <sys/stat.h>
38: #include <sys/types.h>
39: #include <unistd.h>
40: #include "apue.h"
41: #include "HelperHeader.h"
42: #include "LinkedList.h"
43:
44:
45: // Define Vars.
46: #define BUFFER_SIZE 4096
47:
48:
49: // Variables.
50: char* root_path; // Root path, minus innermost dir.
51:
52:
53: // Method Declaration.
54: void set_root_directory(); // Sets root directory for program.
55: char* get_path_end(); // Parses the last dir of the given path.
56: void print_file_type(); // Prints file mode/type, color coded.
57: void print_file_type_full(); // Prints all file mode/types. Incase types ever overla
p.
58: int change_directory(); // Safely changes into directory based on permissions.
59: void list_directory(); // Lists all items within directory.
60: void exit_program(); // Cleanly exits program.
61:
62:
```

```
63: /**
64:  * Program's main.
65:  * Initializes and runs program.
66:  *
67:  * Return 0 on normal exit or 1 on error.
68:  */
69: int main(int argc, char* argv[]) {
70:     int return_int;
71:     directory_node* temp_node;
72:     struct stat stat_buffer;
73:
74:     // Check number of args provided.
75:     // Should have one argument (plus program call).
76:     if (argc != 2) {
77:         if (argc < 2) {
78:             printf("Please provide directory to list.\n");
79:             return 1;
80:         } else {
81:             printf("Too many args provided. Please provide only a single directory.\n")
;
82:             return 1;
83:         }
84:     } else {
85:         return_int = lstat(argv[1], &stat_buffer);
86:         if (return_int < 0) {
87:             err_sys("Failed to stat file.");
88:         }
89:     }
90:
91:     // Print color code values.
92:     printf(
93:         "\nKey:\n"
94:         ANSI_COLOR_RESET      " Regular File " ANSI_COLOR_RESET
95:         ANSI_COLOR_BLUE       " Directory "   ANSI_COLOR_RESET
96:         ANSI_COLOR_YELLOW     " Char Special " ANSI_COLOR_RESET
97:         ANSI_COLOR_RED        " Block Special " ANSI_COLOR_RESET
98:         ANSI_COLOR_MAGENTA    " Named Pipe "   ANSI_COLOR_RESET
99:         ANSI_COLOR_GREEN      " Symbolic Link " ANSI_COLOR_RESET
100:         ANSI_COLOR_CYAN       " Socket "       ANSI_COLOR_RESET
101:         "\n"
102:     );
103:
104:     // Change to root directory.
105:     return_int = chdir(argv[1]);
106:     if (return_int < 0) {
107:         err_sys("Failed to change directory.");
108:     }
109:
110:     set_root_directory(argv[1]);
111:
112:     return_int = enqueue_node(root_path);
113:     if (return_int == 0) {
114:         err_msg("Error trying to enqueue node.");
115:     }
116:
117:     while (head_node != NULL) {
118:         printf("\n\n%s\n", head_node->absolute_path);
119:
120:         // Change current directory to current node's path.
121:         return_int = change_directory(head_node->absolute_path);
122:         if (return_int == 1) {
123:             list_directory(head_node->absolute_path);
124:         }
```



```
125:         temp_node = dequeue_node();
126:         free(temp_node->directory_name);
127:         free(temp_node->absolute_path);
128:         free(temp_node);
129:     }
130:     printf("\n");
131:
132:     exit_program();
133:     return 0;
134: }
135:
136:
137: /**
138:  * Sets absolute root directory for program.
139:  */
140: void set_root_directory() {
141:     // Allocate memory.
142:     if (root_path != NULL) {
143:         free(root_path);
144:     }
145:     root_path = calloc(1, BUFFER_SIZE);
146:
147:     // Set absolute path.
148:     if ((getcwd(root_path, BUFFER_SIZE)) == NULL) {
149:         err_sys("Failed to set root directory.");
150:     }
151: }
152:
153:
154: /**
155:  * Parses provided path to find the ending directory.
156:  */
157: char* get_path_end(char* path) {
158:     char* char_pointer = path;
159:
160:     // First get null terminator of string.
161:     while (*char_pointer != '\0') {
162:         ++char_pointer;
163:     }
164:
165:     // Now work backwards from end to get last directory in path.
166:     --char_pointer;
167:     --char_pointer;
168:     while (*char_pointer != '/') {
169:         --char_pointer;
170:     }
171:
172:     char_pointer = copy_string(char_pointer);
173:
174:     return char_pointer;
175: }
176:
177:
178: /**
179:  * Safely changes directory by first checking path value and permissions.
180:  *
181:  * Return: 1 on success or 0 on failure.
182:  */
183: int change_directory(char* given_path) {
184:     int return_int;
185:     struct stat stat_buffer;
186:
187:     // First read in node directory.
```

```
188: return_int = lstat(given_path, &stat_buffer);
189: if (return_int < 0) {
190:     err_sys("Failed to stat file.\n");
191: }
192:
193: // First, ensure that it is, infact, a directory.
194: if (S_ISDIR(stat_buffer.st_mode)) {
195:     // Next, check permissions.
196:     if ((access(given_path, X_OK)) == 0) {
197:         // Change into directory.
198:         return_int = chdir(given_path);
199:         if (return_int < 0) {
200:             err_sys("Failed to change directory.\n");
201:             return 0;
202:         }
203:         return 1;
204:     } else { // No execute permission.
205:         printf("No execute permission. Cannot change into dir.\n");
206:         return 0;
207:     }
208: } else { // Not a directory.
209:     printf("Provided path is not a directory.\n");
210:     return 0;
211: }
212: }
213:
214:
215: /**
216:  * Lists contents of current directory (dictated by head_node values).
217:  * If subdirectory is found, append to queue and continue.
218:  */
219: void list_directory(char* given_path) {
220:     int return_int;
221:     char* temp_string;
222:     struct dirent* dir_file;
223:     struct stat stat_buffer;
224:     DIR* dir_pointer = opendir(given_path);
225:
226:     if ((access(given_path, R_OK) == 0)) {
227:
228:         // Loop until no more files to read in current directory..
229:         while (dir_pointer != NULL) {
230:             if ((dir_file = readdir(dir_pointer)) != NULL) {
231:
232:                 // New file found. Get type.
233:                 return_int = lstat(dir_file->d_name, &stat_buffer);
234:                 if (return_int < 0) {
235:                     err_sys("Failed to stat file.\n");
236:                 }
237:
238:                 // Check if directory.
239:                 if (S_ISDIR(stat_buffer.st_mode)) {
240:
241:                     // Check for "." or "..".
242:                     if ((strcmp(dir_file->d_name, ".") != 0) && (strcmp(dir_file->d_name, "..") != 0)) {
243:
244:                         // Is directory and not symbolic. Add to queue.
245:                         temp_string = copy_string_with_buffer(given_path, BUFFER_SIZE);
246:                         strcat(temp_string, "/");
247:                         strcat(temp_string, dir_file->d_name);
248:                         return_int = enqueue_node(temp_string);
249:                         if (return_int == 0) {
```

```
250:         err_msg("Failed to queue node.\n");
251:     }
252:     free(temp_string);
253: }
254: }
255:
256:     print_file_type(dir_file->d_name, stat_buffer);
257:     //print_file_type_full(dir_file->d_name, stat_buffer);
258: } else {
259:
260:     // End of files in directory. Closing stream.
261:     return_int = closedir(dir_pointer);
262:     if (return_int < 0) {
263:         err_msg("Failed to properly close directory.\n");
264:     }
265:     dir_pointer = NULL;
266: }
267: }
268:
269: } else {
270:     printf("No read permission. Cannot read directory files.\n");
271: }
272: }
273:
274:
275: /**
276:  * Prints first found mode of provided file.
277:  */
278: void print_file_type(char* file_name, struct stat stat_buffer) {
279:     if (S_ISREG(stat_buffer.st_mode)) {
280:         printf(ANSI_COLOR_RESET " %s " ANSI_COLOR_RESET, file_name);
281:     } else if (S_ISDIR(stat_buffer.st_mode)) {
282:         printf(ANSI_COLOR_BLUE " %s " ANSI_COLOR_RESET, file_name);
283:     } else if (S_ISCHR(stat_buffer.st_mode)) {
284:         printf(ANSI_COLOR_YELLOW " %s " ANSI_COLOR_RESET, file_name);
285:     } else if (S_ISBLK(stat_buffer.st_mode)) {
286:         printf(ANSI_COLOR_RED " %s " ANSI_COLOR_RESET, file_name);
287:     } else if (S_ISFIFO(stat_buffer.st_mode)) {
288:         printf(ANSI_COLOR_MAGENTA " %s " ANSI_COLOR_RESET, file_name);
289:     } else if (S_ISLNK(stat_buffer.st_mode)) {
290:         printf(ANSI_COLOR_GREEN " %s " ANSI_COLOR_RESET, file_name);
291:     } else if (S_ISSOCK(stat_buffer.st_mode)) {
292:         printf(ANSI_COLOR_CYAN " %s " ANSI_COLOR_RESET, file_name);
293:     } else {
294:         printf("%s - Unknown file mode.", file_name);
295:     }
296: }
297:
298:
299: /**
300:  * Checks all possible modes of provided file. Prints any that apply.
301:  */
302: void print_file_type_full(char* file_name, struct stat stat_buffer) {
303:     int found_bool = 0;
304:     if (S_ISREG(stat_buffer.st_mode)) {
305:         printf(ANSI_COLOR_RESET " %s " ANSI_COLOR_RESET, file_name);
306:         found_bool = 1;
307:     }
308:     if (S_ISDIR(stat_buffer.st_mode)) {
309:         printf(ANSI_COLOR_BLUE " %s " ANSI_COLOR_RESET, file_name);
310:         found_bool = 1;
311:     }
312:     if (S_ISCHR(stat_buffer.st_mode)) {
```

```
313:     printf(ANSI_COLOR_YELLOW    " %s " ANSI_COLOR_RESET, file_name);
314:     found_bool = 1;
315: }
316: if (S_ISBLK(stat_buffer.st_mode)) {
317:     printf(ANSI_COLOR_RED        " %s " ANSI_COLOR_RESET, file_name);
318:     found_bool = 1;
319: }
320: if (S_ISFIFO(stat_buffer.st_mode)) {
321:     printf(ANSI_COLOR_MAGENTA    " %s " ANSI_COLOR_RESET, file_name);
322:     found_bool = 1;
323: }
324: if (S_ISLNK(stat_buffer.st_mode)) {
325:     printf(ANSI_COLOR_GREEN      " %s " ANSI_COLOR_RESET, file_name);
326:     found_bool = 1;
327: }
328: if (S_ISSOCK(stat_buffer.st_mode)) {
329:     printf(ANSI_COLOR_CYAN       " %s " ANSI_COLOR_RESET, file_name);
330:     found_bool = 1;
331: }
332: if (!(found_bool)) {
333:     printf(" %s - Unknown file mode. ", file_name);
334: }
335: }
336:
337:
338: /**
339:  * Frees memory to exit program cleanly.
340:  */
341: void exit_program() {
342:     free(root_path);
343:
344:     // Should technically be handled by main loop.
345:     // Left here as a fallback on unexpected errors/handling.
346:     directory_node * a_node;
347:     while (head_node != NULL) {
348:         a_node = dequeue_node();
349:         free(a_node->absolute_path);
350:         free(a_node);
351:     }
352: }
```

```
1: test ran on testdir
2:
3:
4: Key:
5: \033[0m Regular File \033[0m\033[34m Directory \033[0m\033[33m Char Special \033[
0m\033[31m Block Special \033[0m\033[35m Named Pipe \033[0m\033[32m Symbolic Link \033[0
m\033[36m Socket \033[0m
6:
7:
8: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir
9: \033[0m File1 \033[0m\033[34m Dir1 \033[0m\033[0m apue.h \033[0m\033[0m error.c \033[0m
\033[34m Dir2 \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m core \033[0m
10:
11: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir/Dir1
12: \033[34m Dir12 \033[0m\033[34m Dir11 \033[0m\033[34m . \033[0m\033[34m .. \033[0m
13:
14: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir/Dir2
15: \033[0m File21 \033[0m\033[34m Dir21 \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0
m core \033[0m
16:
17: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir/Dir1/Dir12
18: \033[34m . \033[0m\033[0m File \033[0m\033[34m .. \033[0m\033[0m core \033[0m
19:
20: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir/Dir1/Dir11
21: \033[0m File111 \033[0m\033[0m File112 \033[0m\033[34m . \033[0m\033[34m Dir111 \033[0m
\033[34m .. \033[0m\033[0m core \033[0m
22:
23: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir/Dir2/Dir21
24: \033[34m Dir22 \033[0m\033[34m Dir21 \033[0m\033[34m . \033[0m\033[34m .. \033[0m
25:
26: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir/Dir1/Dir11/Dir111
27: \033[34m . \033[0m\033[34m .. \033[0m\033[0m core \033[0m\033[0m File1111 \033[0m
28:
29: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir/Dir2/Dir21/Dir22
30: No execute permission. Cannot change into dir.
31:
32:
33: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir/Dir2/Dir21/Dir21
34: \033[0m File221 \033[0m\033[0m File222 \033[0m\033[34m Dir221 \033[0m\033[34m . \033[0m
\033[34m .. \033[0m\033[0m core \033[0m
35:
36: /home/git/clones/3240/a2/brandon.k.rodriguez/testdir/Dir2/Dir21/Dir21/Dir221
37: \033[34m . \033[0m\033[34m .. \033[0m\033[0m core \033[0m\033[0m File1111 \033[0m
38:
39: test ran on etc copy
40:
41:
42: Key:
43: \033[0m Regular File \033[0m\033[34m Directory \033[0m\033[33m Char Special \033[
0m\033[31m Block Special \033[0m\033[35m Named Pipe \033[0m\033[32m Symbolic Link \033[0
m\033[36m Socket \033[0m
44:
45:
46: /home/git/clones/3240/a2/brandon.k.rodriguez/etc
47: \033[34m . \033[0m\033[34m .. \033[0m\033[34m ppp \033[0m\033[0m passwd- \033[0m\033[0m
zsh_command_not_found \033[0m\033[0m devscripts.conf \033[0m\033[0m login.defs \033[0m\033[34
m iproute2 \033[0m\033[34m cron.weekly \033[0m\033[0m modules \033[0m\033[34m groovy \033[0m
\033[0m lsb-release \033[0m\033[34m sensors.d \033[0m\033[34m sudoers.d \033[0m\033[34m rsyslo
g.d \033[0m\033[0m magic \033[0m\033[34m texmf \033[0m\033[34m wpa_supplicant \033[0m\033[0m l
trace.conf \033[0m\033[34m cron.hourly \033[0m\033[34m ssh \033[0m\033[0m debconf.conf \033[0m
\033[0m ld.so.conf \033[0m\033[0m securetty \033[0m\033[0m inetd.conf \033[0m\033[34m X11 \033
[0m\033[0m sudoers \033[0m\033[34m init \033[0m\033[0m pam.conf \033[0m\033[34m security \033[
0m\033[34m libvirt \033[0m\033[34m mercurial \033[0m\033[0m issue.net \033[0m\033[34m thermald
```

```
\033[0m\033[0m rsyslog.conf \033[0m\033[0m cgrules.conf \033[0m\033[0m services \033[0m\033[0m
m manpath.config \033[0m\033[34m gtk-2.0 \033[0m\033[34m rcS.d \033[0m\033[34m .java \033[0m
\033[34m lighttpd \033[0m\033[0m mtools.conf \033[0m\033[34m sane.d \033[0m\033[0m kernel-img.
conf \033[0m\033[34m bonobo-activation \033[0m\033[34m ld.so.conf.d \033[0m\033[34m python3.4
\033[0m\033[32m virt-builder \033[0m\033[0m ethertypes \033[0m\033[0m rc.local \033[0m\033[34m
byobu \033[0m\033[34m pulse \033[0m\033[34m rc1.d \033[0m\033[0m ld.so.cache \033[0m\033[0m m
ke2fs.conf \033[0m\033[34m rc6.d \033[0m\033[0m wgetrc \033[0m\033[0m machine-id \033[0m\033[0m
m group- \033[0m\033[0m gshadow- \033[0m\033[0m ca-certificates.conf \033[0m\033[34m w3m \033[
0m\033[34m gnome-vfs-2.0 \033[0m\033[34m groff \033[0m\033[0m bash.bashrc \033[0m\033[34m os-b
rick \033[0m\033[0m libaudit.conf \033[0m\033[34m vim \033[0m\033[34m gconf \033[0m\033[34m pm
\033[0m\033[0m cgconfig.conf \033[0m\033[0m legal \033[0m\033[0m gai.conf \033[0m\033[34m cal
endar \033[0m\033[34m mdadm \033[0m\033[34m ax25 \033[0m\033[0m vdpau_wrapper.cfg \033[0m\033[
0m papersize \033[0m\033[34m profile.d \033[0m\033[0m fuse.conf \033[0m\033[34m alternatives
\033[0m\033[34m xml \033[0m\033[0m crypttab \033[0m\033[0m sudoers.dpkg-dist \033[0m\033[0m ho
sts.deny \033[0m\033[34m firewallld \033[0m\033[32m vtrgb \033[0m\033[34m zfs \033[0m\033[34m u
pdate-manager \033[0m\033[0m mime.types \033[0m\033[0m nanorc \033[0m\033[34m sysctl.d \033[0m
\033[0m .pwd.lock \033[0m\033[34m polkit-1 \033[0m\033[0m gssapi_mech.conf \033[0m\033[34m sel
inux \033[0m\033[34m udev \033[0m\033[0m hosts.allow \033[0m\033[34m dnsmasq.d \033[0m\033[0m
adduser.conf \033[0m\033[0m popularity-contest.conf \033[0m\033[34m java \033[0m\033[0m sysctl
.conf \033[0m\033[34m wok \033[0m\033[0m hostname \033[0m\033[0m fstab \033[0m\033[34m nginx
\033[0m\033[34m avahi \033[0m\033[0m issue \033[0m\033[32m localtime \033[0m\033[34m apport
\033[0m\033[34m libnl-3 \033[0m\033[34m apt \033[0m\033[34m apache2 \033[0m\033[0m passwd \033
[0m\033[0m inputrc \033[0m\033[0m request-key.conf \033[0m\033[0m mailname \033[0m\033[0m upda
tedb.conf \033[0m\033[0m sos.conf \033[0m\033[34m apparmor \033[0m\033[34m console-setup \033[
0m\033[34m ldap \033[0m\033[34m libpaper.d \033[0m\033[34m skel \033[0m\033[34m castellan \033
[0m\033[32m mtab \033[0m\033[34m python3 \033[0m\033[0m profile \033[0m\033[0m timezone \033[0
m\033[34m lynx \033[0m\033[34m apparmor.d \033[0m\033[0m shadow \033[0m\033[34m sound \033[0m
\033[0m subgid \033[0m\033[34m gss \033[0m\033[34m rc2.d \033[0m\033[34m maven \033[0m\033[34m
network \033[0m\033[34m initramfs-tools \033[0m\033[34m ssmtp \033[0m\033[34m python2.7 \033[
0m\033[34m emacs \033[0m\033[34m pam.d \033[0m\033[0m shadow- \033[0m\033[34m rc0.d \033[0m
\033[34m insserv \033[0m\033[34m binfmt.d \033[0m\033[0m bash_completion \033[0m\033[34m kerne
l \033[0m\033[34m dhcp \033[0m\033[32m resolv.conf \033[0m\033[34m pki \033[0m\033[0m group
\033[0m\033[34m gtk-3.0 \033[0m\033[34m ufw \033[0m\033[0m gshadow \033[0m\033[0m networks
\033[0m\033[34m ca-certificates \033[0m\033[34m modprobe.d \033[0m\033[34m rc5.d \033[0m\033[3
4m logrotate.d \033[0m\033[34m dnsmasq.d-available \033[0m\033[0m mumble-server.ini.dpkg-dist
\033[0m\033[0m qemu-ifup \033[0m\033[34m tmpfiles.d \033[0m\033[0m mailcap \033[0m\033[34m sas
12 \033[0m\033[0m host.conf \033[0m\033[0m environment \033[0m\033[34m mysql \033[0m\033[0m ma
ilcap.order \033[0m\033[34m kimchi \033[0m\033[34m ifplugd \033[0m\033[34m insserv.conf.d \033
[0m\033[34m python \033[0m\033[34m logcheck \033[0m\033[34m iscsi \033[0m\033[34m apm \033[0m
\033[0m crontab \033[0m\033[0m ts.conf \033[0m\033[34m gnome \033[0m\033[0m libguestfs-tools.c
onf \033[0m\033[34m python3.5 \033[0m\033[0m subgid- \033[0m\033[34m pycadf \033[0m\033[34m lv
m \033[0m\033[34m chatscripts \033[0m\033[34m xdg \033[0m\033[0m deluser.conf \033[0m\033[0m s
creenrc \033[0m\033[0m lintianrc \033[0m\033[0m insserv.conf \033[0m\033[0m shells \033[0m\033
[34m sgml \033[0m\033[0m cowpoke.conf \033[0m\033[0m nsswitch.conf \033[0m\033[0m protocols
\033[0m\033[34m cron.monthly \033[0m\033[34m dictionaries-common \033[0m\033[0m mumble-server.
ini \033[0m\033[0m magic.mime \033[0m\033[34m java-7-openjdk \033[0m\033[34m newt \033[0m\033[
0m hdparm.conf \033[0m\033[34m depmod.d \033[0m\033[0m subuid- \033[0m\033[34m init.d \033[0m
\033[34m update-notifier \033[0m\033[34m request-key.d \033[0m\033[34m cron.d \033[0m\033[0m s
ubuid \033[0m\033[34m fonts \033[0m\033[34m ghostscript \033[0m\033[34m dbus-1 \033[0m\033[32m
os-release \033[0m\033[0m idmapd.conf \033[0m\033[34m landscape \033[0m\033[0m sensors3.conf
\033[0m\033[34m terminfo \033[0m\033[34m systemd \033[0m\033[34m opt \033[0m\033[0m at.deny
\033[0m\033[34m grub.d \033[0m\033[0m locale.alias \033[0m\033[0m ca-certificates.conf.dpkg-ol
d \033[0m\033[34m perl \033[0m\033[34m resolvconf \033[0m\033[34m cron.daily \033[0m\033[0m de
bian_version \033[0m\033[34m gdb \033[0m\033[34m acpi \033[0m\033[34m rc4.d \033[0m\033[34m mo
dules-load.d \033[0m\033[0m avserver.conf \033[0m\033[34m dpkg \033[0m\033[0m rmt \033[0m\033[
0m qemu-ifdown \033[0m\033[0m drirc \033[0m\033[34m bash_completion.d \033[0m\033[34m at-spi2
\033[0m\033[0m logrotate.conf \033[0m\033[0m ucf.conf \033[0m\033[34m update-motd.d \033[0m
\033[0m rpc \033[0m\033[34m default \033[0m\033[0m dput.cf \033[0m\033[34m udisks2 \033[0m\033
[0m netconfig \033[0m\033[0m upstart-xsessions \033[0m\033[0m enscrip.cfg \033[0m\033[0m host
s \033[0m\033[34m vmbuilder \033[0m\033[34m ssl \033[0m\033[34m kbd \033[0m\033[34m rc3.d \033
[0m\033[0m locale.gen \033[0m\033[0m bindresvport.blacklist \033[0m
```

48:

49: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ppp

```
50: \033[34m ip-down.d \033[0m\033[0m ip-down \033[0m\033[0m ipv6-down \033[0m\033[34m ip-u
p.d \033[0m\033[0m chap-secrets \033[0m\033[0m pap-secrets \033[0m\033[34m ipv6-up.d \033[0m
\033[0m pppoe_on_boot \033[0m\033[34m ipv6-down.d \033[0m\033[0m ip-up \033[0m\033[34m peers
\033[0m\033[34m . \033[0m\033[34m resolv \033[0m\033[34m .. \033[0m\033[0m ipv6-up \033[0m\033
[0m options \033[0m
51:
52: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/iproute2
53: \033[0m rt_dsfield \033[0m\033[0m rt_protos \033[0m\033[0m ematch_map \033[0m\033[0m gr
oup \033[0m\033[0m rt_scopes \033[0m\033[0m rt_tables \033[0m\033[34m . \033[0m\033[0m nl_prot
os \033[0m\033[34m .. \033[0m\033[0m rt_realms \033[0m
54:
55: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/cron.weekly
56: \033[0m .placeholder \033[0m\033[0m man-db \033[0m\033[0m apt-xapian-index \033[0m\033[
0m fstrim \033[0m\033[34m . \033[0m\033[0m update-notifier-common \033[0m\033[34m .. \033[0m
57:
58: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/groovy
59: \033[0m groovy-starter.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
60:
61: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/sensors.d
62: \033[0m .placeholder \033[0m\033[34m . \033[0m\033[34m .. \033[0m
63:
64: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/sudoers.d
65: \033[0m README \033[0m\033[34m . \033[0m\033[34m .. \033[0m
66:
67: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/rsyslog.d
68: \033[0m 20-ufw.conf \033[0m\033[0m 50-default.conf \033[0m\033[34m . \033[0m\033[34m ..
\033[0m
69:
70: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/texmf
71: \033[34m texmf.d \033[0m\033[34m fmt.d \033[0m\033[34m hyphen.d \033[0m\033[34m web2c
\033[0m\033[34m . \033[0m\033[34m texdoctk \033[0m\033[34m .. \033[0m
72:
73: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/wpa_supplicant
74: \033[0m ifupdown.sh \033[0m\033[0m action_wpa.sh \033[0m\033[0m functions.sh \033[0m
\033[34m . \033[0m\033[34m .. \033[0m
75:
76: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/cron.hourly
77: \033[0m .placeholder \033[0m\033[34m . \033[0m\033[34m .. \033[0m
78:
79: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ssh
80: \033[0m ssh_config \033[0m\033[0m ssh_config.dpkg-dist \033[0m\033[0m moduli \033[0m
\033[0m ssh_host_ed25519_key \033[0m\033[0m sshd_config \033[0m\033[0m ssh_host_dsa_key.pub
\033[0m\033[0m ssh_host_ecdsa_key.pub \033[0m\033[0m ssh_host_dsa_key \033[0m\033[0m ssh_impor
t_id \033[0m\033[0m ssh_host_rsa_key.pub \033[0m\033[0m ssh_host_rsa_key \033[0m\033[34m .
\033[0m\033[34m .. \033[0m\033[0m ssh_host_ecdsa_key \033[0m\033[0m ssh_host_ed25519_key.pub
\033[0m
81:
82: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11
83: \033[0m rgb.txt \033[0m\033[34m Xresources \033[0m\033[0m Xreset \033[0m\033[34m Xreset
.d \033[0m\033[0m Xsession \033[0m\033[34m xkb \033[0m\033[0m Xsession.options \033[0m\033[34m
Xsession.d \033[0m\033[34m xinit \033[0m\033[34m app-defaults \033[0m\033[34m . \033[0m\033[0
m Xwrapper.config \033[0m\033[34m fonts \033[0m\033[34m .. \033[0m
84:
85: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/init
86: \033[0m ufw.conf \033[0m\033[0m mountall-net.conf \033[0m\033[0m statd-mounting.conf
\033[0m\033[0m wait-for-state.conf \033[0m\033[0m plymouth.conf \033[0m\033[0m cryptdisks-udev
.conf \033[0m\033[0m udevtrigger.conf \033[0m\033[0m network-interface-security.conf \033[0m
\033[0m plymouth-splash.conf \033[0m\033[0m libvirt-bin.conf \033[0m\033[0m mounted-var.conf
\033[0m\033[0m procps.conf \033[0m\033[0m plymouth-stop.conf \033[0m\033[0m plymouth-log.conf
\033[0m\033[0m apparmor.conf \033[0m\033[0m plymouth-upstart-bridge.conf \033[0m\033[0m shutdo
wn.conf \033[0m\033[0m statd.conf \033[0m\033[0m rsyslog.conf \033[0m\033[0m qemu-kvm.conf
\033[0m\033[0m tty4.conf \033[0m\033[0m udev.conf \033[0m\033[0m rpcbind-boot.conf \033[0m\033
[0m ureadahead-other.conf \033[0m\033[0m mtab.sh.conf \033[0m\033[0m container-detect.conf
```

```
\033[0m\033[0m mounted-tmp.conf \033[0m\033[0m tty2.conf \033[0m\033[0m mountall.conf \033[0m\033[0m control-alt-delete.conf \033[0m\033[0m hwclock.conf \033[0m\033[0m udevmonitor.conf \033[0m\033[0m failsafe.conf \033[0m\033[0m avahi-daemon.conf \033[0m\033[0m portmap-wait.conf \033[0m\033[0m avahi-cups-reload.conf \033[0m\033[0m thermald.conf \033[0m\033[0m rcS.conf \033[0m\033[0m mountall-reboot.conf \033[0m\033[0m apport.conf \033[0m\033[0m kmod.conf \033[0m\033[0m plymouth-ready.conf \033[0m\033[0m cgproxy.conf \033[0m\033[0m cgroup-lite.conf \033[0m\033[0m plymouth-shutdown.conf \033[0m\033[0m atd.conf \033[0m\033[0m checkroot.sh.conf \033[0m\033[0m statd.override \033[0m\033[0m setvtrgb.conf \033[0m\033[0m cgmanager.conf \033[0m\033[0m mounted-proc.conf \033[0m\033[0m ssh.conf \033[0m\033[0m avahi-daemon.override \033[0m\033[0m statd-mounting.override \033[0m\033[0m tty1.conf \033[0m\033[0m mountall.sh.conf \033[0m\033[0m hostname.sh.conf \033[0m\033[0m friendly-recovery.conf \033[0m\033[0m checkroot-bootclean.sh.conf \033[0m\033[0m rc.conf \033[0m\033[0m dmesg.conf \033[0m\033[0m gssd-mounting.conf \033[0m\033[0m cgrulesengd.conf \033[0m\033[0m nginx.conf \033[0m\033[0m checkfs.sh.conf \033[0m\033[0m acpid.conf \033[0m\033[0m mountkernfs.sh.conf \033[0m\033[0m mountnfs.sh.conf \033[0m\033[0m mounted-run.conf \033[0m\033[0m binfmt-support.conf \033[0m\033[0m mountall-shell.conf \033[0m\033[0m tty6.conf \033[0m\033[0m procs-instance.conf \033[0m\033[0m upstart-udev-bridge.conf \033[0m\033[0m hwclock-save.conf \033[0m\033[0m mounted-debugfs.conf \033[0m\033[0m network-interface.conf \033[0m\033[34m . \033[0m\033[0m mounted-dev.conf \033[0m\033[0m rc-sysinit.conf \033[0m\033[0m resolvconf.conf \033[0m\033[0m flush-early-job-log.conf \033[0m\033[0m ureadahead.conf \033[0m\033[0m console-font.conf \033[0m\033[0m upstart-socket-bridge.conf \033[0m\033[0m hwclock.sh.conf \033[0m\033[0m mountall-bootclean.sh.conf \033[0m\033[0m mountdevsubfs.sh.conf \033[0m\033[0m cron.conf \033[0m\033[0m gssd.conf \033[0m\033[0m passwd.conf \033[0m\033[0m idmapd.conf \033[0m\033[34m .. \033[0m\033[0m bootmisc.sh.conf \033[0m\033[0m idmapd-mounting.conf \033[0m\033[0m irqbalance.conf \033[0m\033[0m mountnfs-bootclean.sh.conf \033[0m\033[0m tty3.conf \033[0m\033[0m tty5.conf \033[0m\033[0m rpcbind.conf \033[0m\033[0m upstart-file-bridge.conf \033[0m\033[0m network-interface-container.conf \033[0m\033[0m cryptdisks.conf \033[0m\033[0m dbus.conf \033[0m\033[0m networking.conf \033[0m\033[0m console.conf \033[0m\033[0m hostname.conf \033[0m\033[0m console-setup.conf \033[0m\033[0m\n87:\n88: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/security\n89: \033[0m namespace.conf \033[0m\033[0m opasswd \033[0m\033[0m group.conf \033[0m\033[34m namespace.d \033[0m\033[0m pam_env.conf \033[0m\033[0m sepermit.conf \033[0m\033[0m time.conf \033[0m\033[0m limits.conf \033[0m\033[34m limits.d \033[0m\033[34m . \033[0m\033[0m namespace.init \033[0m\033[0m capability.conf \033[0m\033[0m access.conf \033[0m\033[34m .. \033[0m\033[0m\n90:\n91: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libvirt\n92: \033[34m nwfilter \033[0m\033[0m qemu.conf \033[0m\033[0m virtlogd.conf \033[0m\033[0m virtlockd.conf \033[0m\033[0m libvirt.conf \033[0m\033[0m lxc.conf \033[0m\033[34m qemu \033[0m\033[0m libxl.conf \033[0m\033[0m qemu-lockd.conf \033[0m\033[34m . \033[0m\033[34m storage \033[0m\033[34m hooks \033[0m\033[0m libvirtd.conf \033[0m\033[0m virt-login-shell.conf \033[0m\033[0m libxl-lockd.conf \033[0m\033[34m .. \033[0m\033[0m libvirt-admin.conf \033[0m\033[0m\n93:\n94: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/mercurial\n95: \033[0m hgsrc \033[0m\033[34m hgsrc.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m\n96:\n97: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/thermald\n98: \033[0m thermal-cpu-cdev-order.xml \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m thermal-conf.xml \033[0m\033[0m\n99:\n100: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gtk-2.0\n101: \033[0m im-multipress.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m\n102:\n103: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/rcS.d\n104: \033[32m S07checkroot.sh \033[0m\033[32m S05procs \033[0m\033[32m S02plymouth-log \033[0m\033[32m S15mountnfs-bootclean.sh \033[0m\033[32m S13rpcbind \033[0m\033[32m S08cryptdisks-early \033[0m\033[32m S02lm-sensors \033[0m\033[32m S03udev \033[0m\033[32m S13mountall-bootclean.sh \033[0m\033[0m README \033[0m\033[32m S02apparmor \033[0m\033[32m S09urandom \033[0m\033[32m S04keyboard-setup \033[0m\033[32m S02pppd-dns \033[0m\033[32m S02mountkernfs.sh \033[0m\033[32m S12mountall.sh \033[0m\033[32m S06hwclock.sh \033[0m\033[32m S16bootmisc.sh \033[0m\033[32m S12networking \033[0m\033[32m S02x11-common \033[0m\033[32m S05mountdevsubfs.sh \033[0m\033[32m S01console-setup \033[0m\033[32m S02ebtables \033[0m\033[32m S02zfs-fuse \033[0m\033[32m S02ufw \033[0m\033[34m . \033[0m\033[32m S02resolvconf \033[0m\033[32m S09checkroot-bootclean.sh \033[0m\033[32m S13iscsid \033[0m\033[34m .. \033[0m\033[32m S05qemu-kvm \033[0m\033[0m
```



```
\033[32m S14mountnfs.sh \033[0m\033[32m S02hostname.sh \033[0m\033[32m S09kmod \033[0m\033[32m
S14open-iscsi \033[0m\033[32m S11checkfs.sh \033[0m\033[32m S09lvm2 \033[0m\033[32m S10cryptd
isks \033[0m
105:
106: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/.java
107: \033[34m .systemPrefs \033[0m\033[34m . \033[0m\033[34m .. \033[0m
108:
109: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/lighttpd
110: \033[34m conf-enabled \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[34m conf-availab
le \033[0m
111:
112: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/sane.d
113: \033[0m st400.conf \033[0m\033[0m hp.conf \033[0m\033[0m plustek.conf \033[0m\033[0m p5
.conf \033[0m\033[0m coolscan.conf \033[0m\033[0m v4l.conf \033[0m\033[0m leo.conf \033[0m\033
[0m snapscan.conf \033[0m\033[0m canon_dr.conf \033[0m\033[0m umax.conf \033[0m\033[0m agfafoc
us.conf \033[0m\033[0m artec_eplus48u.conf \033[0m\033[0m epson2.conf \033[0m\033[0m ul2.conf
\033[0m\033[0m epsonds.conf \033[0m\033[0m sceptre.conf \033[0m\033[0m artec.conf \033[0m\033[
0m coolscan2.conf \033[0m\033[0m teco2.conf \033[0m\033[0m gphoto2.conf \033[0m\033[0m mustek_
pp.conf \033[0m\033[0m tamarack.conf \033[0m\033[0m pie.conf \033[0m\033[0m canon.conf \033[0m
\033[0m avision.conf \033[0m\033[34m dll.d \033[0m\033[0m hs2p.conf \033[0m\033[0m magicolor.c
onf \033[0m\033[0m kodak.conf \033[0m\033[0m dell1600n_net.conf \033[0m\033[0m bh.conf \033[0m
\033[0m genesys.conf \033[0m\033[0m dc25.conf \033[0m\033[0m nec.conf \033[0m\033[0m umax_pp.c
onf \033[0m\033[0m test.conf \033[0m\033[0m dc240.conf \033[0m\033[0m teco3.conf \033[0m\033[0
m dmc.conf \033[0m\033[0m xerox_mfp.conf \033[0m\033[0m hp5400.conf \033[0m\033[0m kodakaio.co
nf \033[0m\033[0m microtek2.conf \033[0m\033[0m net.conf \033[0m\033[0m qcama.conf \033[0m\033[
0m ibm.conf \033[0m\033[0m plustek_pp.conf \033[0m\033[0m abaton.conf \033[0m\033[0m ma1509.co
nf \033[0m\033[0m canon630u.conf \033[0m\033[0m teco1.conf \033[0m\033[0m fujitsu.conf \033[0m
\033[0m sharp.conf \033[0m\033[0m hp4200.conf \033[0m\033[0m microtek.conf \033[0m\033[0m gt68
xx.conf \033[0m\033[0m dc210.conf \033[0m\033[0m sp15c.conf \033[0m\033[34m . \033[0m\033[0m r
ts8891.conf \033[0m\033[0m coolscan3.conf \033[0m\033[0m sm3840.conf \033[0m\033[0m mustek_usb
.conf \033[0m\033[0m mustek.conf \033[0m\033[0m pixma.conf \033[0m\033[0m epjitsu.conf \033[0m
\033[34m .. \033[0m\033[0m canon_pp.conf \033[0m\033[0m cardscan.conf \033[0m\033[0m epson.con
f \033[0m\033[0m ricoh.conf \033[0m\033[0m dll.conf \033[0m\033[0m stv680.conf \033[0m\033[0m
hp3900.conf \033[0m\033[0m lexmark.conf \033[0m\033[0m umax1220u.conf \033[0m\033[0m hpsj5s.co
nf \033[0m\033[0m matsushita.conf \033[0m\033[0m apple.conf \033[0m\033[0m s9036.conf \033[0m
114:
115: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/bonobo-activation
116: \033[0m bonobo-activation-config.xml \033[0m\033[34m . \033[0m\033[34m .. \033[0m
117:
118: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ld.so.conf.d
119: \033[0m zz_x32-biarch-compat.conf \033[0m\033[32m x86_64-linux-gnu_EGL.conf \033[0m\033
[32m x86_64-linux-gnu_GL.conf \033[0m\033[0m fakeroot-x86_64-linux-gnu.conf \033[0m\033[0m zz_
i386-biarch-compat.conf \033[0m\033[34m . \033[0m\033[0m x86_64-linux-gnu.conf \033[0m\033[34m
.. \033[0m\033[0m libc.conf \033[0m
120:
121: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/python3.4
122: \033[0m sitecustomize.py \033[0m\033[34m . \033[0m\033[34m .. \033[0m
123:
124: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/byobu
125: \033[0m socketdir \033[0m\033[0m backend \033[0m\033[34m . \033[0m\033[34m .. \033[0m
126:
127: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/pulse
128: \033[0m client.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
129:
130: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/rc1.d
131: \033[32m K02libvirt-bin \033[0m\033[32m K07rpcbind \033[0m\033[32m K01firewalld \033[0m
\033[32m K01lvm2-lvmetad \033[0m\033[32m K01lvm2-lvmpolld \033[0m\033[32m K02iscsid \033[0m
\033[0m README \033[0m\033[32m K03virtlogd \033[0m\033[32m S01dns-clean \033[0m\033[32m K01lui
dd \033[0m\033[32m K01openbsd-inetd \033[0m\033[32m K01open-iscsi \033[0m\033[32m K01atd \033[
0m\033[32m K01cgproxy \033[0m\033[32m K01ebtables \033[0m\033[32m K01mumble-server \033[0m\033
[32m S02single \033[0m\033[32m K05rsyslog \033[0m\033[32m K01irqbalance \033[0m\033[32m K01mda
dm \033[0m\033[32m K01libvirt-guests \033[0m\033[32m K01screen-cleanup \033[0m\033[32m K01ther
mald \033[0m\033[32m K01apache2 \033[0m\033[32m K01cgmanager \033[0m\033[32m K01nginx \033[0m
```

```
\033[32m K01ufw \033[0m\033[32m K01avahi-daemon \033[0m\033[32m K01virtlockd \033[0m\033[34m .
\033[0m\033[32m K01apache-htcacheclean \033[0m\033[32m K01rsync \033[0m\033[34m .. \033[0m
\033[32m S01killprocs \033[0m
132:
133: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/rc6.d
134: \033[32m K02libvirt-bin \033[0m\033[32m K01zfs-fuse \033[0m\033[32m K07rpcbind \033[0m
\033[32m K01firewalld \033[0m\033[32m K01lvm2-lvm2-lvmetad \033[0m\033[32m K01lvm2-lvmpolld \033[0m
\033[32m K14reboot \033[0m\033[32m K02iscsid \033[0m\033[0m README \033[0m\033[32m K03virtlogd
\033[0m\033[32m K01unattended-upgrades \033[0m\033[32m K10cryptdisks \033[0m\033[32m K06umoun
tnfs.sh \033[0m\033[32m K01uuid \033[0m\033[32m K01resolvconf \033[0m\033[32m K13mdadm-waitid
le \033[0m\033[32m K08networking \033[0m\033[32m K01openbsd-inetd \033[0m\033[32m K01open-iscs
i \033[0m\033[32m K01atd \033[0m\033[32m K01cgproxy \033[0m\033[32m K06hwclock.sh \033[0m\033[
32m K01eatables \033[0m\033[32m K01mumble-server \033[0m\033[32m K05rsyslog \033[0m\033[32m K0
lirqbalance \033[0m\033[32m K01urandom \033[0m\033[32m K01mdadm \033[0m\033[32m K01libvirt-gue
sts \033[0m\033[32m K01screen-cleanup \033[0m\033[32m K01thermald \033[0m\033[32m K01apache2
\033[0m\033[32m K01cgmanager \033[0m\033[32m K01nginx \033[0m\033[32m K01avahi-daemon \033[0m
\033[32m K01virtlockd \033[0m\033[32m K11cryptdisks-early \033[0m\033[34m . \033[0m\033[32m K0
4sendsigs \033[0m\033[32m K12umountroot \033[0m\033[32m K01plymouth \033[0m\033[32m K01apache-
htcacheclean \033[0m\033[32m K01rsync \033[0m\033[34m .. \033[0m\033[32m K09umountfs \033[0m
135:
136: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/w3m
137: \033[0m mailcap \033[0m\033[34m . \033[0m\033[0m config \033[0m\033[34m .. \033[0m
138:
139: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gnome-vfs-2.0
140: \033[34m modules \033[0m\033[34m . \033[0m\033[34m .. \033[0m
141:
142: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/groff
143: \033[0m man.local \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m mdoc.local \033[0
m
144:
145: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/os-brick
146: \033[34m rootwrap.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m
147:
148: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vim
149: \033[0m vimrc.tiny \033[0m\033[34m . \033[0m\033[0m vimrc \033[0m\033[34m .. \033[0m
150:
151: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gconf
152: \033[34m gconf.xml.defaults \033[0m\033[34m 2 \033[0m\033[34m gconf.xml.mandatory \033[
0m\033[34m . \033[0m\033[34m .. \033[0m
153:
154: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/pm
155: \033[34m power.d \033[0m\033[34m sleep.d \033[0m\033[34m config.d \033[0m\033[34m .
\033[0m\033[34m .. \033[0m
156:
157: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/calendar
158: \033[34m . \033[0m\033[34m .. \033[0m\033[0m default \033[0m
159:
160: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/mdadm
161: \033[0m mdadm.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
162:
163: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ax25
164: \033[0m node.perms \033[0m\033[0m rsports \033[0m\033[34m . \033[0m\033[0m node.conf
\033[0m\033[0m node.motd \033[0m\033[0m axports \033[0m\033[34m .. \033[0m\033[0m nrports \033
[0m
165:
166: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/profile.d
167: \033[0m libvirt-uri.sh \033[0m\033[0m Z97-byobu.sh \033[0m\033[0m bash_completion.sh
\033[0m\033[34m . \033[0m\033[0m cedilla-portuguese.sh \033[0m\033[34m .. \033[0m\033[0m vte-2
.91.sh \033[0m
168:
169: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/alternatives
170: \033[32m x-terminal-emulator \033[0m\033[32m jsonpointer \033[0m\033[32m vi.pl.1.gz
\033[0m\033[32m rsh \033[0m\033[32m rst2pseudoxml \033[0m\033[32m infobrowser.1.gz \033[0m\033
```

```
[32m aclocal.1.gz \033[0m\033[32m www-browser.1.gz \033[0m\033[32m lzma \033[0m\033[32m fakero
ot.sv.1.gz \033[0m\033[32m faked.1.gz \033[0m\033[32m lzdifff.1.gz \033[0m\033[32m w \033[0m
\033[32m x86_64-linux-gnu_gl_conf \033[0m\033[32m fakeroot \033[0m\033[32m ex.ru.1.gz \033[0m
\033[32m unit2 \033[0m\033[32m cc \033[0m\033[32m telnet \033[0m\033[32m rst2latex \033[0m\033
[32m fakeroot.es.1.gz \033[0m\033[32m awk.1.gz \033[0m\033[32m builtins.7.gz \033[0m\033[32m
rst2man \033[0m\033[32m rename \033[0m\033[32m lzcmp.1.gz \033[0m\033[32m netrc.5.gz \033[0m
\033[32m keystone \033[0m\033[32m mt \033[0m\033[32m rst2odt \033[0m\033[32m unlzma.1.gz \033[
0m\033[32m rst2html \033[0m\033[32m gradle \033[0m\033[32m write.1.gz \033[0m\033[0m README
\033[0m\033[32m from.1.gz \033[0m\033[32m spice-xpi-client \033[0m\033[32m rview \033[0m\033[3
2m vi \033[0m\033[32m write \033[0m\033[32m rst2s5 \033[0m\033[32m x-terminal-emulator.1.gz
\033[0m\033[32m lockutils-wrapper \033[0m\033[32m vim \033[0m\033[32m gnome-text-editor.1.gz
\033[0m\033[32m gcc \033[0m\033[32m faked.es.1.gz \033[0m\033[32m pbr \033[0m\033[32m c89 \033
[0m\033[32m liblapack.so.3 \033[0m\033[32m lzegrep.1.gz \033[0m\033[32m x-cursor-theme \033[0m
\033[32m traceroute6.8.gz \033[0m\033[32m vi.fr.1.gz \033[0m\033[32m view.pl.1.gz \033[0m\033[
32m jsonpatch \033[0m\033[32m oslo-rootwrap-daemon \033[0m\033[32m vtrgb \033[0m\033[32m edito
r \033[0m\033[32m lzma.1.gz \033[0m\033[32m lzegrep \033[0m\033[32m view.ru.1.gz \033[0m\033[3
2m rlogin.1.gz \033[0m\033[32m vimdiff \033[0m\033[32m ex.1.gz \033[0m\033[32m awk.1.gz \033[0
m\033[32m unlzma \033[0m\033[32m awk \033[0m\033[32m locate \033[0m\033[32m libtxc-dxtn-x86_6
4-linux-gnu \033[0m\033[32m pftp.1.gz \033[0m\033[32m netcat \033[0m\033[32m fakeroot.1.gz
\033[0m\033[32m rstpep2html \033[0m\033[32m ftp \033[0m\033[32m rst2odt_prepstyles \033[0m\033
[32m fakeroot.fr.1.gz \033[0m\033[32m glance \033[0m\033[32m view.1.gz \033[0m\033[32m pftp
\033[0m\033[32m from \033[0m\033[32m pico \033[0m\033[32m automake.1.gz \033[0m\033[32m lzless
\033[0m\033[32m ex.it.1.gz \033[0m\033[32m c++ \033[0m\033[32m lzcmp \033[0m\033[32m view.ja.
1.gz \033[0m\033[32m lzdifff \033[0m\033[32m nc \033[0m\033[32m oslo-messaging-zmq-broker \033[
0m\033[32m neutron \033[0m\033[32m lzmoe.1.gz \033[0m\033[32m ex \033[0m\033[32m lzcat \033[0
m\033[32m faked.sv.1.gz \033[0m\033[32m x86_64-linux-gnu_xorg_extra_modules \033[0m\033[32m rv
im \033[0m\033[32m js \033[0m\033[32m traceroute6 \033[0m\033[32m aclocal \033[0m\033[32m pico
.1.gz \033[0m\033[32m updatedb \033[0m\033[32m lzmoe \033[0m\033[32m ex.pl.1.gz \033[0m\033[3
2m view \033[0m\033[32m vi.ru.1.gz \033[0m\033[32m my.cnf \033[0m\033[32m c89.1.gz \033[0m\033
[32m automake \033[0m\033[32m cinder \033[0m\033[32m locate.1.gz \033[0m\033[32m lzless.1.gz
\033[0m\033[32m ex.fr.1.gz \033[0m\033[32m c99 \033[0m\033[32m rsh.1.gz \033[0m\033[32m vi.it.
1.gz \033[0m\033[32m pager \033[0m\033[32m cpp \033[0m\033[32m lzcat.1.gz \033[0m\033[32m lzfg
rep \033[0m\033[32m pager.1.gz \033[0m\033[32m pybabel \033[0m\033[32m telnet.1.gz \033[0m\033
[32m jsondiff \033[0m\033[34m . \033[0m\033[32m mt.1.gz \033[0m\033[32m migrate \033[0m\033[32
m oslopolicy-checker \033[0m\033[32m js.1.gz \033[0m\033[32m vi.1.gz \033[0m\033[32m migrate-r
epository \033[0m\033[32m view.fr.1.gz \033[0m\033[32m c++.1.gz \033[0m\033[32m netcat.1.gz
\033[0m\033[32m libblas.so.3 \033[0m\033[32m cc.1.gz \033[0m\033[32m x86_64-linux-gnu_egl_conf
\033[0m\033[32m view.it.1.gz \033[0m\033[32m faked.fr.1.gz \033[0m\033[32m w.1.gz \033[0m\033
[32m ghostscript-current \033[0m\033[32m gnome-text-editor \033[0m\033[32m rlogin \033[0m\033[
32m lzfgrep.1.gz \033[0m\033[34m .. \033[0m\033[32m www-browser \033[0m\033[32m jsonschema
\033[0m\033[32m vi.ja.1.gz \033[0m\033[32m infobrowser \033[0m\033[32m ex.ja.1.gz \033[0m\033[
32m alembic \033[0m\033[32m rmt.8.gz \033[0m\033[32m oslo-config-generator \033[0m\033[32m awk
\033[0m\033[32m rst-buildhtml \033[0m\033[32m lzgrep.1.gz \033[0m\033[32m rcp \033[0m\033[32m
rename.1.gz \033[0m\033[32m rcp.1.gz \033[0m\033[32m rst2xml \033[0m\033[32m rmt \033[0m\033[
32m nc.1.gz \033[0m\033[32m text.plymouth \033[0m\033[32m lzgrep \033[0m\033[32m oslo-rootwrap
\033[0m\033[32m ftp.1.gz \033[0m\033[32m c99.1.gz \033[0m\033[32m rst2xetex \033[0m\033[32m e
ditor.1.gz \033[0m\033[32m newt-palette \033[0m
171:
172: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/xml
173: \033[0m catalog.old \033[0m\033[0m catalog \033[0m\033[34m . \033[0m\033[34m .. \033[0m
\033[34m resolver \033[0m\033[0m xml-core.xml \033[0m\033[0m docutils-common.xml.old \033[0m
\033[0m xml-core.xml.old \033[0m\033[0m docutils-common.xml \033[0m
174:
175: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/firewalld
176: No execute permission. Cannot change into dir.
177:
178:
179: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/zfs
180: \033[0m zfs_pool_alert \033[0m\033[0m zfsrc \033[0m\033[34m . \033[0m\033[34m .. \033[0
m
181:
182: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/update-manager
183: \033[34m release-upgrades.d \033[0m\033[34m . \033[0m\033[0m meta-release \033[0m\033[0
```

```
m release-upgrades \033[0m\033[34m .. \033[0m
184:
185: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/sysctl.d
186: \033[0m 10-link-restrictions.conf \033[0m\033[0m 10-zeropage.conf \033[0m\033[0m README
\033[0m\033[0m 10-ipv6-privacy.conf \033[0m\033[32m 99-sysctl.conf \033[0m\033[0m 10-magic-sy
srq.conf \033[0m\033[0m 10-network-security.conf \033[0m\033[0m 10-console-messages.conf \033[
0m\033[34m . \033[0m\033[0m 10-kernel-hardening.conf \033[0m\033[0m 10-ptrace.conf \033[0m\033
[34m .. \033[0m
187:
188: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/polkit-1
189: \033[34m localauthority.conf.d \033[0m\033[34m localauthority \033[0m\033[34m nullbacke
nd.conf.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m
190:
191: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/selinux
192: \033[0m semanage.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
193:
194: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/udev
195: \033[0m udev.conf \033[0m\033[34m hwdb.d \033[0m\033[34m rules.d \033[0m\033[34m . \033
[0m\033[34m .. \033[0m
196:
197: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dnsmasq.d
198: \033[32m libvirt-bin \033[0m\033[34m . \033[0m\033[34m .. \033[0m
199:
200: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/java
201: \033[34m security \033[0m\033[34m . \033[0m\033[34m .. \033[0m
202:
203: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/wok
204: \033[34m plugins.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m
205:
206: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/nginx
207: \033[0m koi-win \033[0m\033[0m proxy_params \033[0m\033[0m fastcgi_params \033[0m\033[0
m mime.types \033[0m\033[0m scgi_params \033[0m\033[0m win-utf \033[0m\033[0m uwsgi_params
\033[0m\033[0m nginx.conf \033[0m\033[34m snippets \033[0m\033[0m koi-utf \033[0m\033[34m .
\033[0m\033[34m sites-enabled \033[0m\033[34m .. \033[0m\033[34m sites-available \033[0m\033[3
4m conf.d \033[0m\033[0m fastcgi.conf \033[0m
208:
209: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/avahi
210: \033[34m services \033[0m\033[0m avahi-daemon.conf \033[0m\033[34m . \033[0m\033[34m ..
\033[0m\033[0m hosts \033[0m
211:
212: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/appport
213: \033[0m crashdb.conf \033[0m\033[34m blacklist.d \033[0m\033[34m . \033[0m\033[34m ..
\033[0m
214:
215: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libnl-3
216: \033[0m pktloc \033[0m\033[0m classid \033[0m\033[34m . \033[0m\033[34m .. \033[0m
217:
218: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apt
219: \033[34m preferences.d \033[0m\033[0m sources.list.save \033[0m\033[34m apt.conf.d \033
[0m\033[34m sources.list.d \033[0m\033[34m trusted.gpg.d \033[0m\033[34m . \033[0m\033[0m sour
ces.list.distUpgrade \033[0m\033[0m sources.list~ \033[0m\033[0m trusted.gpg \033[0m\033[34m .
. \033[0m\033[0m sources.list \033[0m
220:
221: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apache2
222: \033[0m magic \033[0m\033[34m mods-available \033[0m\033[0m envvars \033[0m\033[34m mod
s-enabled \033[0m\033[34m conf-enabled \033[0m\033[0m apache2.conf \033[0m\033[34m . \033[0m
\033[34m sites-enabled \033[0m\033[34m .. \033[0m\033[34m sites-available \033[0m\033[0m ports
.conf \033[0m\033[34m conf-available \033[0m
223:
224: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor
225: \033[0m subdomain.conf \033[0m\033[34m init \033[0m\033[34m . \033[0m\033[34m .. \033[0
m\033[0m parser.conf \033[0m
226:
```

```
227: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/console-setup
228: \033[0m compose.TIS-620.inc \033[0m\033[0m compose.ISO-8859-10.inc \033[0m\033[0m compo
se.ISIRI-3342.inc \033[0m\033[0m compose.ISO-8859-15.inc \033[0m\033[0m compose.VISCII.inc
\033[0m\033[0m compose.ISO-8859-8.inc \033[0m\033[0m compose.ISO-8859-14.inc \033[0m\033[0m co
mpose.ISO-8859-1.inc \033[0m\033[0m cached.kmap.gz \033[0m\033[0m compose.KOI8-U.inc \033[0m
\033[0m Uni2-Fixed16.psf \033[0m\033[0m compose.IBM1133.inc \033[0m\033[0m compose.ISO-8859-9.
inc \033[0m\033[0m compose.ISO-8859-4.inc \033[0m\033[0m compose.ISO-8859-3.inc \033[0m\033[0m
compose.CP1251.inc \033[0m\033[0m Lat15-VGA16.psf.gz \033[0m\033[0m vtrgb \033[0m\033[0m comp
ose.ISO-8859-2.inc \033[0m\033[0m remap.inc \033[0m\033[0m compose.KOI8-R.inc \033[0m\033[0m L
at15-VGA16.psf \033[0m\033[0m compose.ISO-8859-7.inc \033[0m\033[0m compose.ISO-8859-13.inc
\033[0m\033[0m compose.ISO-8859-11.inc \033[0m\033[0m compose.ISO-8859-6.inc \033[0m\033[0m co
mpose.ARMSCII-8.inc \033[0m\033[34m . \033[0m\033[0m compose.ISO-8859-16.inc \033[0m\033[0m co
mpose.ISO-8859-5.inc \033[0m\033[0m compose.CP1256.inc \033[0m\033[34m .. \033[0m\033[0m compo
se.GEORGIAN-ACADEMY.inc \033[0m\033[0m compose.CP1255.inc \033[0m\033[0m compose.GEORGIAN-PS.i
nc \033[0m\033[0m vtrgb.vga \033[0m
229:
230: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ldap
231: \033[0m ldap.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
232:
233: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libpaper.d
234: \033[0m texlive-base \033[0m\033[34m . \033[0m\033[34m .. \033[0m
235:
236: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/skel
237: \033[0m .profile \033[0m\033[0m .bash_logout \033[0m\033[34m . \033[0m\033[0m .bashrc
\033[0m\033[34m .. \033[0m
238:
239: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/castellan
240: \033[34m . \033[0m\033[0m castellan.conf \033[0m\033[34m .. \033[0m
241:
242: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/python3
243: \033[0m debian_config \033[0m\033[34m . \033[0m\033[34m .. \033[0m
244:
245: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/lynx
246: \033[34m . \033[0m\033[0m lynx.cfg \033[0m\033[34m .. \033[0m\033[0m lynx.lss \033[0m
247:
248: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d
249: \033[0m usr.lib.libvirt.virt-aa-helper \033[0m\033[0m usr.sbin.libvirt \033[0m\033[34m
libvirt \033[0m\033[34m force-complain \033[0m\033[34m abstractions \033[0m\033[0m usr.sbin.t
cpdump \033[0m\033[34m snap \033[0m\033[34m tunables \033[0m\033[0m sbin.dhclient \033[0m\033[
34m disable \033[0m\033[0m usr.sbin.rsyslogd \033[0m\033[34m . \033[0m\033[34m cache \033[0m
\033[34m local \033[0m\033[34m .. \033[0m
250:
251: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/sound
252: \033[34m events \033[0m\033[34m . \033[0m\033[34m .. \033[0m
253:
254: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gss
255: \033[34m mech.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m
256:
257: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/rc2.d
258: \033[32m S03rsync \033[0m\033[32m S01screen-cleanup \033[0m\033[32m S07plymouth \033[0m
\033[32m S03acpid \033[0m\033[32m S03thermal \033[0m\033[32m S03ssh \033[0m\033[32m S07rc.loc
al \033[0m\033[32m S03irqbalance \033[0m\033[32m S03cron \033[0m\033[32m S07ondemand \033[0m
\033[0m README \033[0m\033[32m S01dns-clean \033[0m\033[32m S03atd \033[0m\033[32m S03cgproxy
\033[0m\033[32m S01lvm2-lvmpolld \033[0m\033[32m S04firewalld \033[0m\033[32m S01rsyslog \033[
0m\033[32m S03virtlogd \033[0m\033[32m S04avahi-daemon \033[0m\033[32m S07grub-common \033[0m
\033[32m S01lvm2-lvmetad \033[0m\033[32m S03dbus \033[0m\033[32m S05libvirt-bin \033[0m\033[32
m S01binfmt-support \033[0m\033[32m S03mdadm \033[0m\033[32m S02apache2 \033[0m\033[34m . \033
[0m\033[32m S01uuid \033[0m\033[32m S03nginx \033[0m\033[32m S06libvirt-guests \033[0m\033[32
m S01cgmanager \033[0m\033[32m S03virtlockd \033[0m\033[32m K01apache-htcacheclean \033[0m\033
[34m .. \033[0m\033[32m S03openbsd-inetd \033[0m\033[32m S04mumble-server \033[0m\033[32m S01u
nattended-upgrades \033[0m\033[32m S01apport \033[0m
259:
260: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/maven
```

```
261: \033[0m settings.xml \033[0m\033[34m . \033[0m\033[0m m2.conf \033[0m\033[34m .. \033[0m
m
262:
263: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/network
264: \033[32m run \033[0m\033[34m if-up.d \033[0m\033[0m interfaces \033[0m\033[34m if-down.
d \033[0m\033[34m interfaces.d \033[0m\033[34m . \033[0m\033[34m if-pre-up.d \033[0m\033[34m .
. \033[0m\033[34m if-post-down.d \033[0m
265:
266: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools
267: \033[0m modules \033[0m\033[34m scripts \033[0m\033[0m update-initramfs.conf \033[0m
\033[0m initramfs.conf \033[0m\033[34m . \033[0m\033[34m hooks \033[0m\033[34m .. \033[0m\033[
34m conf.d \033[0m
268:
269: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ssmtp
270: \033[0m revaliasess \033[0m\033[0m ssmtp.conf \033[0m\033[34m . \033[0m\033[34m .. \033[
0m
271:
272: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/python2.7
273: \033[0m sitecustomize.py \033[0m\033[34m . \033[0m\033[34m .. \033[0m
274:
275: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/emacs
276: \033[34m site-start.d \033[0m\033[0m site-start.el \033[0m\033[34m . \033[0m\033[34m ..
\033[0m
277:
278: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/pam.d
279: \033[0m common-auth.pam-old \033[0m\033[0m ppp \033[0m\033[0m common-password.pam-old
\033[0m\033[0m newusers \033[0m\033[0m common-session-noninteractive.pam-old \033[0m\033[0m ss
hd \033[0m\033[0m chfn \033[0m\033[0m login \033[0m\033[0m accountsservice \033[0m\033[0m comm
on-session.pam-old \033[0m\033[0m runuser-1 \033[0m\033[0m su \033[0m\033[0m polkit-1 \033[0m
\033[0m cron \033[0m\033[0m atd \033[0m\033[0m sudo \033[0m\033[0m passwd \033[0m\033[0m chsh
\033[0m\033[0m common-account.pam-old \033[0m\033[0m chpasswd \033[0m\033[0m other \033[0m\033
[0m common-auth \033[0m\033[0m common-account \033[0m\033[0m common-password \033[0m\033[34m .
\033[0m\033[0m runuser \033[0m\033[0m systemd-user \033[0m\033[34m .. \033[0m\033[0m common-s
ession-noninteractive \033[0m\033[0m common-session \033[0m
280:
281: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/rc0.d
282: \033[32m K02libvirt-bin \033[0m\033[32m K01zfs-fuse \033[0m\033[32m K07rpcbind \033[0m
\033[32m K01firewalld \033[0m\033[32m K01lvm2-lvm2-lvmetad \033[0m\033[32m K01lvm2-lvmpolld \033[0m
\033[32m K02iscsid \033[0m\033[0m README \033[0m\033[32m K03virtlogd \033[0m\033[32m K01unatte
nded-upgrades \033[0m\033[32m K10cryptdisks \033[0m\033[32m K06umountnfs.sh \033[0m\033[32m K0
luuid \033[0m\033[32m K01resolvconf \033[0m\033[32m K13mdadm-waitidle \033[0m\033[32m K08netw
orking \033[0m\033[32m K01openbsd-inetd \033[0m\033[32m K01open-iscsi \033[0m\033[32m K01atd
\033[0m\033[32m K01cgproxy \033[0m\033[32m K06hwclock.sh \033[0m\033[32m K01ebtables \033[0m
\033[32m K01mumble-server \033[0m\033[32m K05rsyslog \033[0m\033[32m K01irqbalance \033[0m\033
[32m K01urandom \033[0m\033[32m K01mdadm \033[0m\033[32m K01libvirt-guests \033[0m\033[32m K01
screen-cleanup \033[0m\033[32m K01thermald \033[0m\033[32m K01apache2 \033[0m\033[32m K01cgman
ager \033[0m\033[32m K01nginx \033[0m\033[32m K14halt \033[0m\033[32m K01avahi-daemon \033[0m
\033[32m K01virtlockd \033[0m\033[32m K11cryptdisks-early \033[0m\033[34m . \033[0m\033[32m K0
4sendsigs \033[0m\033[32m K12umountroot \033[0m\033[32m K01plymouth \033[0m\033[32m K01apache-
htcacheclean \033[0m\033[32m K01rsync \033[0m\033[34m .. \033[0m\033[32m K09umountfs \033[0m
283:
284: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/insserv
285: \033[34m overrides \033[0m\033[34m . \033[0m\033[34m .. \033[0m
286:
287: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/binfmt.d
288: \033[34m . \033[0m\033[34m .. \033[0m
289:
290: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/kernel
291: \033[34m postrm.d \033[0m\033[34m . \033[0m\033[34m postinst.d \033[0m\033[34m .. \033[
0m
292:
293: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dhcp
294: \033[34m dhclient-exit-hooks.d \033[0m\033[34m dhclient-enter-hooks.d \033[0m\033[0m dh
```

```
client.conf \033[0m\033[0m debug \033[0m\033[34m . \033[0m\033[34m .. \033[0m
295:
296: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/pki
297: \033[32m nssdb \033[0m\033[34m . \033[0m\033[34m .. \033[0m
298:
299: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gtk-3.0
300: \033[0m im-multipress.conf \033[0m\033[34m . \033[0m\033[0m settings.ini \033[0m\033[34
m .. \033[0m
301:
302: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ufw
303: \033[0m ufw.conf \033[0m\033[0m before.init \033[0m\033[0m user6.rules \033[0m\033[0m b
efore.rules \033[0m\033[0m sysctl.conf \033[0m\033[0m user.rules \033[0m\033[0m after6.rules
\033[0m\033[0m after.rules \033[0m\033[34m . \033[0m\033[0m after.init \033[0m\033[34m .. \033
[0m\033[0m before6.rules \033[0m\033[34m applications.d \033[0m
304:
305: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ca-certificates
306: \033[34m update.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m
307:
308: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/modprobe.d
309: \033[0m fbdev-blacklist.conf \033[0m\033[0m blacklist-firewire.conf \033[0m\033[0m mlx4
.conf \033[0m\033[0m blacklist-watchdog.conf \033[0m\033[0m blacklist-ath_pci.conf \033[0m\033
[0m blacklist-framebuffer.conf \033[0m\033[0m iwlwifi.conf \033[0m\033[0m blacklist.conf \033[
0m\033[0m blacklist-rare-network.conf \033[0m\033[34m . \033[0m\033[0m qemu-system-x86.conf
\033[0m\033[34m .. \033[0m
310:
311: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/rc5.d
312: \033[32m S03rsync \033[0m\033[32m S01screen-cleanup \033[0m\033[32m S07plymouth \033[0m
\033[32m S03acpid \033[0m\033[32m S03thermalld \033[0m\033[32m S03ssh \033[0m\033[32m S07rc.loc
al \033[0m\033[32m S03irqbalance \033[0m\033[32m S03cron \033[0m\033[32m S07ondemand \033[0m
\033[0m README \033[0m\033[32m S01dns-clean \033[0m\033[32m S03atd \033[0m\033[32m S03cgproxy
\033[0m\033[32m S01lvm2-lvmpolld \033[0m\033[32m S04firewalld \033[0m\033[32m S01rsyslog \033[
0m\033[32m S03virtlogd \033[0m\033[32m S04avahi-daemon \033[0m\033[32m S07grub-common \033[0m
\033[32m S01lvm2-lvmetad \033[0m\033[32m S03dbus \033[0m\033[32m S05libvirt-bin \033[0m\033[32
m S01binfmt-support \033[0m\033[32m S03mdadm \033[0m\033[32m S02apache2 \033[0m\033[34m . \033
[0m\033[32m S01uuid \033[0m\033[32m S03nginx \033[0m\033[32m S06libvirt-guests \033[0m\033[32
m S01cgmanager \033[0m\033[32m S03virtlockd \033[0m\033[32m K01apache-htcacheclean \033[0m\033
[34m .. \033[0m\033[32m S03openbsd-inetd \033[0m\033[32m S04mumble-server \033[0m\033[32m S01u
nattended-upgrades \033[0m\033[32m S01appport \033[0m
313:
314: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/logrotate.d
315: \033[0m ppp \033[0m\033[0m libvirtd.lxc \033[0m\033[0m rsyslog \033[0m\033[0m libvirtd
\033[0m\033[0m unattended-upgrades \033[0m\033[0m libvirtd.libxl \033[0m\033[0m nginx \033[0m
\033[0m appport \033[0m\033[0m apt \033[0m\033[0m apache2 \033[0m\033[0m aptitude \033[0m\033[0
m libvirtd.uml \033[0m\033[0m ufw \033[0m\033[0m libvirtd.qemu \033[0m\033[0m mumble-server
\033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m pm-utils \033[0m\033[0m dpkg \033[0m\033[0
m upstart \033[0m
316:
317: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dnsmasq.d-available
318: \033[0m libvirt-bin \033[0m\033[34m . \033[0m\033[34m .. \033[0m
319:
320: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/tmpfiles.d
321: \033[34m . \033[0m\033[34m .. \033[0m
322:
323: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/sasl2
324: \033[0m libvirt.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
325:
326: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/mysql
327: \033[0m my.cnf.fallback \033[0m\033[32m my.cnf \033[0m\033[34m . \033[0m\033[34m ..
\033[0m\033[34m conf.d \033[0m
328:
329: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/kimchi
330: \033[34m . \033[0m\033[34m distros.d \033[0m\033[34m .. \033[0m
331:
```

```
332: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ifplugd
333: \033[34m action.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m
334:
335: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/insserv.conf.d
336: \033[34m . \033[0m\033[34m .. \033[0m\033[0m rpcbind \033[0m
337:
338: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/python
339: \033[0m debian_config \033[0m\033[34m . \033[0m\033[34m .. \033[0m
340:
341: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/logcheck
342: \033[34m ignore.d.server \033[0m\033[34m . \033[0m\033[34m violations.d \033[0m\033[34m
.. \033[0m
343:
344: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/iscsi
345: \033[0m initiatorname.iscsi \033[0m\033[0m iscsid.conf \033[0m\033[34m . \033[0m\033[34m
m .. \033[0m
346:
347: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apm
348: \033[34m . \033[0m\033[34m .. \033[0m\033[34m event.d \033[0m
349:
350: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gnome
351: \033[0m defaults.list \033[0m\033[34m . \033[0m\033[34m .. \033[0m
352:
353: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/python3.5
354: \033[0m sitecustomize.py \033[0m\033[34m . \033[0m\033[34m .. \033[0m
355:
356: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/pycadf
357: \033[0m nova_api_audit_map.conf \033[0m\033[0m api_audit_map.conf \033[0m\033[0m glance
_api_audit_map.conf \033[0m\033[0m neutron_api_audit_map.conf \033[0m\033[0m cinder_api_audit_
map.conf \033[0m\033[0m trove_api_audit_map.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
\033[0m ceilometer_api_audit_map.conf \033[0m
358:
359: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/lvm
360: \033[0m lvm.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
361:
362: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/chatscripts
363: No execute permission. Cannot change into dir.
364:
365:
366: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/xdg
367: \033[0m Trolltech.conf \033[0m\033[34m virt-builder \033[0m\033[34m autostart \033[0m
\033[0m user-dirs.defaults \033[0m\033[0m user-dirs.conf \033[0m\033[34m . \033[0m\033[34m ..
\033[0m\033[34m systemd \033[0m
368:
369: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/sgml
370: \033[0m xml-core.cat \033[0m\033[32m catalog \033[0m\033[0m docutils-common.cat \033[0m
\033[34m . \033[0m\033[34m .. \033[0m
371:
372: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/cron.monthly
373: \033[0m ieee-data \033[0m\033[0m .placeholder \033[0m\033[34m . \033[0m\033[34m .. \033[
0m
374:
375: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dictionaries-common
376: \033[0m ispell-default \033[0m\033[34m . \033[0m\033[34m .. \033[0m
377:
378: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/java-7-openjdk
379: \033[0m sound.properties \033[0m\033[34m security \033[0m\033[0m logging.properties
\033[0m\033[0m tz.properties \033[0m\033[0m content-types.properties \033[0m\033[0m swing.prop
erties \033[0m\033[34m images \033[0m\033[0m fontconfig.properties \033[0m\033[0m jvm-amd64.cf
g \033[0m\033[0m psfontj2d.properties \033[0m\033[0m accessibility.properties \033[0m\033[0m n
et.properties \033[0m\033[34m . \033[0m\033[0m calendars.properties \033[0m\033[0m flavormap.p
roperties \033[0m\033[0m psfont.properties.java \033[0m\033[34m .. \033[0m\033[34m management
\033[0m
```



```
380:
381: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/newt
382: \033[32m palette \033[0m\033[0m palette.ubuntu \033[0m\033[34m . \033[0m\033[34m ..
\033[0m\033[0m palette.original \033[0m
383:
384: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/depmod.d
385: \033[0m ubuntu.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
386:
387: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/init.d
388: \033[0m mountkernfs.sh \033[0m\033[0m .depend.stop \033[0m\033[0m networking \033[0m
\033[0m mountnfs-bootclean.sh \033[0m\033[0m open-iscsi \033[0m\033[0m ssh \033[0m\033[0m .dep
end.start \033[0m\033[0m avahi-daemon \033[0m\033[0m mountall.sh \033[0m\033[0m cgproxy \033[0
m\033[0m thermalld \033[0m\033[0m README \033[0m\033[0m rc.local \033[0m\033[0m acpid \033[0m
\033[0m killprocs \033[0m\033[0m rcS \033[0m\033[0m hwclock.sh \033[0m\033[0m .depend.boot
\033[0m\033[0m umountfs \033[0m\033[0m reboot \033[0m\033[0m mountall-bootclean.sh \033[0m\033
[0m rsyslog \033[0m\033[0m mdadm \033[0m\033[0m plymouth \033[0m\033[0m unattended-upgrades
\033[0m\033[0m cgmanager \033[0m\033[0m firewallld \033[0m\033[0m bootmisc.sh \033[0m\033[0m ho
stname.sh \033[0m\033[0m lm-sensors \033[0m\033[0m dbus \033[0m\033[0m grub-common \033[0m\033
[0m skeleton \033[0m\033[0m cron \033[0m\033[0m checkroot-bootclean.sh \033[0m\033[0m plymouth
-log \033[0m\033[0m atd \033[0m\033[0m binfmt-support \033[0m\033[0m openbsd-inetd \033[0m\033
[0m udev \033[0m\033[0m screen-cleanup \033[0m\033[0m rc \033[0m\033[0m cryptdisks \033[0m\033
[0m nginx \033[0m\033[0m sendsigs \033[0m\033[0m lvm2 \033[0m\033[0m apport \033[0m\033[0m apa
che2 \033[0m\033[0m keyboard-setup \033[0m\033[0m qemu-kvm \033[0m\033[0m checkroot.sh \033[0m
\033[0m libvirt-bin \033[0m\033[0m apparmor \033[0m\033[0m console-setup \033[0m\033[0m ondem
and \033[0m\033[0m x11-common \033[0m\033[0m libvirt-guests \033[0m\033[0m zfs-fuse \033[0m\033
[0m ebttables \033[0m\033[0m irqbalance \033[0m\033[0m virtlockd \033[0m\033[0m lvm2-lvmpolld
\033[0m\033[0m apache-htcacheclean \033[0m\033[0m procs \033[0m\033[0m mdadm-waitidle \033[0m
\033[0m checkfs.sh \033[0m\033[0m uuid \033[0m\033[0m halt \033[0m\033[0m ufw \033[0m\033[0m
mountnfs.sh \033[0m\033[0m umountnfs.sh \033[0m\033[0m single \033[0m\033[0m cryptdisks-early
\033[0m\033[0m mumble-server \033[0m\033[34m . \033[0m\033[0m mountdevsubfs.sh \033[0m\033[0m
dns-clean \033[0m\033[0m virtlogd \033[0m\033[0m urandom \033[0m\033[0m pppd-dns \033[0m\033[3
4m .. \033[0m\033[0m resolvconf \033[0m\033[0m rsync \033[0m\033[0m kmod \033[0m\033[0m rpcbin
d \033[0m\033[0m umountroot \033[0m\033[0m iscsid \033[0m\033[0m lvm2-lvmetad \033[0m
389:
390: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/update-notifier
391: \033[0m hooks_seen \033[0m\033[34m . \033[0m\033[34m .. \033[0m
392:
393: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/request-key.d
394: \033[34m . \033[0m\033[0m id_resolver.conf \033[0m\033[34m .. \033[0m
395:
396: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/cron.d
397: \033[0m popularity-contest \033[0m\033[0m mdadm \033[0m\033[0m .placeholder \033[0m\033
[34m . \033[0m\033[34m .. \033[0m
398:
399: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/fonts
400: \033[34m conf.avail \033[0m\033[34m . \033[0m\033[0m fonts.conf \033[0m\033[34m .. \033
[0m\033[34m conf.d \033[0m
401:
402: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ghostscript
403: \033[34m cidfmap.d \033[0m\033[34m fontmap.d \033[0m\033[34m . \033[0m\033[34m .. \033[
0m
404:
405: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dbus-1
406: \033[34m system.d \033[0m\033[32m system.conf \033[0m\033[34m session.d \033[0m\033[32m
session.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
407:
408: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/landscape
409: \033[34m . \033[0m\033[34m .. \033[0m
410:
411: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/terminfo
412: \033[0m README \033[0m\033[34m . \033[0m\033[34m .. \033[0m
413:
414: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd
```

```
415: \033[0m system.conf \033[0m\033[0m resolved.conf \033[0m\033[34m system \033[0m\033[0m
bootchart.conf \033[0m\033[34m network \033[0m\033[0m timesyncd.conf \033[0m\033[0m logind.con
f \033[0m\033[0m journald.conf \033[0m\033[34m . \033[0m\033[34m user \033[0m\033[34m .. \033[
0m\033[0m user.conf \033[0m
416:
417: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/opt
418: \033[34m . \033[0m\033[34m .. \033[0m
419:
420: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/grub.d
421: \033[0m 10_linux \033[0m\033[0m 41_custom \033[0m\033[0m 05_debian_theme \033[0m\033[0m
20_memtest86+ \033[0m\033[0m README \033[0m\033[0m 20_linux_xen \033[0m\033[0m 00_header \033
[0m\033[0m 30_os-prober \033[0m\033[34m . \033[0m\033[0m 30_uefi-firmware \033[0m\033[0m 40_cu
stom \033[0m\033[34m .. \033[0m
422:
423: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/perl
424: \033[34m Net \033[0m\033[34m CPAN \033[0m\033[34m . \033[0m\033[34m .. \033[0m
425:
426: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/resolvconf
427: \033[34m update.d \033[0m\033[0m interface-order \033[0m\033[34m resolv.conf.d \033[0m
\033[34m update-libc.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m
428:
429: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/cron.daily
430: \033[0m mlocate \033[0m\033[0m popularity-contest \033[0m\033[0m mdadm \033[0m\033[0m a
pport \033[0m\033[0m apache2 \033[0m\033[0m passwd \033[0m\033[0m aptitude \033[0m\033[0m libv
irt-bin \033[0m\033[0m logrotate \033[0m\033[0m .placeholder \033[0m\033[0m man-db \033[0m\033
[0m apt-compat \033[0m\033[34m . \033[0m\033[0m update-notifier-common \033[0m\033[0m bsdmaint
ils \033[0m\033[34m .. \033[0m\033[0m dpkg \033[0m\033[0m upstart \033[0m
431:
432: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gdb
433: \033[34m . \033[0m\033[34m .. \033[0m\033[0m gdbinit \033[0m
434:
435: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/acpi
436: \033[34m events \033[0m\033[0m powerbtn.sh \033[0m\033[34m . \033[0m\033[34m .. \033[0m
437:
438: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/rc4.d
439: \033[32m S03rsync \033[0m\033[32m S01screen-cleanup \033[0m\033[32m S07plymouth \033[0m
\033[32m S03acpid \033[0m\033[32m S03thermald \033[0m\033[32m S03ssh \033[0m\033[32m S07rc.loc
al \033[0m\033[32m S03irqbalance \033[0m\033[32m S03cron \033[0m\033[32m S07ondemand \033[0m
\033[0m README \033[0m\033[32m S01dns-clean \033[0m\033[32m S03atd \033[0m\033[32m S03cgproxy
\033[0m\033[32m S01lvmd-lvmpolld \033[0m\033[32m S04firewalld \033[0m\033[32m S01rsyslog \033[
0m\033[32m S03virtlogd \033[0m\033[32m S04avahi-daemon \033[0m\033[32m S07grub-common \033[0m
\033[32m S01lvmd-lvmetad \033[0m\033[32m S03dbus \033[0m\033[32m S05libvirt-bin \033[0m\033[32
m S01binfmt-support \033[0m\033[32m S03mdadm \033[0m\033[32m S02apache2 \033[0m\033[34m . \033
[0m\033[32m S01uuid \033[0m\033[32m S03nginx \033[0m\033[32m S06libvirt-guests \033[0m\033[32
m S01cgmanager \033[0m\033[32m S03virtlockd \033[0m\033[32m K01apache-htcacheclean \033[0m\033
[34m .. \033[0m\033[32m S03openbsd-inetd \033[0m\033[32m S04mumble-server \033[0m\033[32m S01u
nattended-upgrades \033[0m\033[32m S01appport \033[0m
440:
441: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/modules-load.d
442: \033[32m modules.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
443:
444: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dpkg
445: \033[0m shlibs.override \033[0m\033[0m dpkg.cfg \033[0m\033[34m origins \033[0m\033[34m
dpkg.cfg.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m shlibs.default \033[0m
446:
447: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/bash_completion.d
448: \033[0m git-prompt \033[0m\033[0m desktop-file-validate \033[0m\033[0m youtube-dl.bash-
completion \033[0m\033[0m cryptdisks \033[0m\033[0m cinder.bash_completion \033[0m\033[0m gem1
.9.1 \033[0m\033[0m zfs-fuse \033[0m\033[0m neutron.bash_completion \033[0m\033[0m maven \033[
0m\033[0m initramfs-tools \033[0m\033[0m insserv \033[0m\033[0m paster \033[0m\033[0m ufw \033
[0m\033[34m . \033[0m\033[0m npm \033[0m\033[0m dput \033[0m\033[34m .. \033[0m\033[0m appor
t_completion \033[0m\033[0m grub \033[0m\033[0m axi-cache \033[0m\033[0m upstart \033[0m
449:
```

```
450: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/at-spi2
451: \033[0m accessibility.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
452:
453: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/update-motd.d
454: \033[32m 50-landscape-sysinfo \033[0m\033[0m 98-reboot-required \033[0m\033[0m 95-hwe-e
ol \033[0m\033[0m 90-updates-available \033[0m\033[0m 10-help-text \033[0m\033[0m 98-fsck-at-r
eboot \033[0m\033[0m 00-header \033[0m\033[34m . \033[0m\033[0m 91-release-upgrade \033[0m\033
[34m .. \033[0m
455:
456: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/default
457: \033[0m networking \033[0m\033[0m open-iscsi \033[0m\033[0m ssh \033[0m\033[0m avahi-da
emon \033[0m\033[0m acpid \033[0m\033[0m rcS \033[0m\033[0m ntpdate \033[0m\033[0m bridge-util
s \033[0m\033[0m rsyslog \033[0m\033[0m mdadm \033[0m\033[0m locale \033[0m\033[0m dbus \033[0
m\033[0m cron \033[0m\033[0m openbsd-inetd \033[0m\033[0m cryptdisks \033[0m\033[0m nginx \033
[0m\033[0m apport \033[0m\033[0m qemu-kvm \033[0m\033[0m libvirt-bin \033[0m\033[0m console-se
tup \033[0m\033[0m useradd \033[0m\033[0m libvirt-guests \033[0m\033[0m zfs-fuse \033[0m\033[0
m ebttables \033[0m\033[0m irqbalance \033[0m\033[0m virtlockd \033[0m\033[0m apache-htcachecle
an \033[0m\033[0m halt \033[0m\033[0m ufw \033[0m\033[0m nss \033[0m\033[0m crda \033[0m\033[0
m ntfs-3g \033[0m\033[0m mumble-server \033[0m\033[34m . \033[0m\033[0m cacerts \033[0m\033[0m
virtlogd \033[0m\033[0m bsdmainutils \033[0m\033[34m .. \033[0m\033[0m devpts \033[0m\033[34m
grub.d \033[0m\033[0m grub \033[0m\033[0m rsync \033[0m\033[0m keyboard \033[0m\033[0m nfs-co
mmon \033[0m
458:
459: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/udisks2
460: \033[34m . \033[0m\033[34m .. \033[0m
461:
462: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder
463: \033[34m libvirt \033[0m\033[34m virtualbox \033[0m\033[34m debian \033[0m\033[34m post
inst \033[0m\033[34m ec2 \033[0m\033[34m network \033[0m\033[34m xen \033[0m\033[34m vmware
\033[0m\033[34m kvm \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[34m firstscripts \033[0m
\033[34m ubuntu \033[0m
464:
465: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ssl
466: \033[34m private \033[0m\033[0m openssl.cnf \033[0m\033[34m . \033[0m\033[34m .. \033[0
m\033[34m certs \033[0m
467:
468: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/kbd
469: \033[0m remap \033[0m\033[34m . \033[0m\033[0m config \033[0m\033[34m .. \033[0m
470:
471: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/rc3.d
472: \033[32m S03rsync \033[0m\033[32m S01screen-cleanup \033[0m\033[32m S07plymouth \033[0m
\033[32m S03acpid \033[0m\033[32m S03thermald \033[0m\033[32m S03ssh \033[0m\033[32m S07rc.loc
al \033[0m\033[32m S03irqbalance \033[0m\033[32m S03cron \033[0m\033[32m S07ondemand \033[0m
\033[0m README \033[0m\033[32m S01dns-clean \033[0m\033[32m S03atd \033[0m\033[32m S03cgproxy
\033[0m\033[32m S01lvm2-lvmpolld \033[0m\033[32m S04firewalld \033[0m\033[32m S01rsyslog \033[
0m\033[32m S03virtlogd \033[0m\033[32m S04avahi-daemon \033[0m\033[32m S07grub-common \033[0m
\033[32m S01lvm2-lvmetad \033[0m\033[32m S03dbus \033[0m\033[32m S05libvirt-bin \033[0m\033[32
m S01binfmt-support \033[0m\033[32m S03mdadm \033[0m\033[32m S02apache2 \033[0m\033[34m . \033
[0m\033[32m S01uuid \033[0m\033[32m S03nginx \033[0m\033[32m S06libvirt-guests \033[0m\033[32
m S01cgmanager \033[0m\033[32m S03virtlockd \033[0m\033[32m S01apache-htcacheclean \033[0m\033
[34m .. \033[0m\033[32m S03openbsd-inetd \033[0m\033[32m S04mumble-server \033[0m\033[32m S01u
nattended-upgrades \033[0m\033[32m S01apport \033[0m
473:
474: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ppp/ip-down.d
475: \033[0m 0000usepeerdns \033[0m\033[0m 000resolvconf \033[0m\033[34m . \033[0m\033[34m .
. \033[0m\033[0m 0dns-down \033[0m
476:
477: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ppp/ip-up.d
478: \033[0m 0dns-up \033[0m\033[0m 0000usepeerdns \033[0m\033[0m 000resolvconf \033[0m\033[
34m . \033[0m\033[34m .. \033[0m
479:
480: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ppp/ipv6-up.d
481: \033[34m . \033[0m\033[34m .. \033[0m
```

```
482:
483: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ppp/ipv6-down.d
484: \033[34m . \033[0m\033[34m .. \033[0m
485:
486: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ppp/peers
487: No execute permission. Cannot change into dir.
488:
489:
490: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ppp/resolv
491: \033[34m . \033[0m\033[34m .. \033[0m
492:
493: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/texmf/texmf.d
494: \033[34m . \033[0m\033[0m 00debian.cnf \033[0m\033[34m .. \033[0m
495:
496: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/texmf/fmt.d
497: \033[0m 00tex.cnf \033[0m\033[0m 10texlive-base.cnf \033[0m\033[34m . \033[0m\033[34m .
. \033[0m
498:
499: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/texmf/hyphen.d
500: \033[0m 00tex.cnf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
501:
502: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/texmf/web2c
503: \033[0m texmf.cnf \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m mktex.cnf \033[0m
504:
505: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/texmf/texdocrk
506: \033[0m texdocrc.defaults \033[0m\033[34m . \033[0m\033[34m .. \033[0m
507:
508: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11/Xresources
509: \033[0m x11-common \033[0m\033[34m . \033[0m\033[34m .. \033[0m
510:
511: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11/Xreset.d
512: \033[0m README \033[0m\033[34m . \033[0m\033[34m .. \033[0m
513:
514: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11/xkb
515: \033[34m . \033[0m\033[34m .. \033[0m
516:
517: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11/Xsession.d
518: \033[0m 20x11-common_process-args \033[0m\033[0m 60x11-common_localhost \033[0m\033[0m
35x11-common_xhost-local \033[0m\033[0m 30x11-common_xresources \033[0m\033[0m 95dbus_update-a
ctivation-env \033[0m\033[0m 90qt-ally \033[0m\033[0m 75dbus_dbus-launch \033[0m\033[0m 00upst
art \033[0m\033[0m 40x11-common_xsessionrc \033[0m\033[0m 50x11-common_determine-startup \033[
0m\033[0m 60x11-common_xdg_path \033[0m\033[34m . \033[0m\033[0m 70gconfd_path-on-session \033
[0m\033[0m 99upstart \033[0m\033[34m .. \033[0m\033[0m 99x11-common_start \033[0m\033[0m 60xdg
-user-dirs-update \033[0m\033[0m 90x11-common_ssh-agent \033[0m
519:
520: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11/xinit
521: \033[34m xinitrc.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m
522:
523: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11/app-defaults
524: \033[0m XFontSel \033[0m\033[0m XTerm-color \033[0m\033[0m Xvidtune \033[0m\033[0m UXTe
rm \033[0m\033[0m XTerm \033[0m\033[0m Editres-color \033[0m\033[0m Editres \033[0m\033[0m Xfd
\033[0m\033[0m Viewres \033[0m\033[0m KOI8RXTerm \033[0m\033[0m Viewres-color \033[0m\033[34m
. \033[0m\033[0m KOI8RXTerm-color \033[0m\033[0m UXTerm-color \033[0m\033[34m .. \033[0m\033[
0m Xmessage \033[0m\033[0m Xmessage-color \033[0m
525:
526: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11/fonts
527: \033[34m Type1 \033[0m\033[34m . \033[0m\033[34m .. \033[0m
528:
529: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/security/namespace.d
530: \033[34m . \033[0m\033[34m .. \033[0m
531:
532: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/security/limits.d
533: \033[34m . \033[0m\033[34m .. \033[0m
```

```
534:
535: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libvirt/nwfilter
536: \033[0m allow-dhcp-server.xml \033[0m\033[0m no-mac-broadcast.xml \033[0m\033[0m allow-
dhcp.xml \033[0m\033[0m no-arp-mac-spoofing.xml \033[0m\033[0m no-other-l2-traffic.xml \033[0m
\033[0m qemu-announce-self-rarp.xml \033[0m\033[0m no-arp-spoofing.xml \033[0m\033[0m allow-ar
p.xml \033[0m\033[0m no-other-rarp-traffic.xml \033[0m\033[0m no-ip-spoofing.xml \033[0m\033[0
m no-mac-spoofing.xml \033[0m\033[34m . \033[0m\033[0m clean-traffic.xml \033[0m\033[0m qemu-a
nnounce-self.xml \033[0m\033[0m allow-incoming-ipv4.xml \033[0m\033[0m no-arp-ip-spoofing.xml
\033[0m\033[34m .. \033[0m\033[0m no-ip-multicast.xml \033[0m\033[0m allow-ipv4.xml \033[0m
537:
538: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libvirt/qemu
539: \033[34m networks \033[0m\033[0m TWP.xml \033[0m\033[34m . \033[0m\033[34m .. \033[0m
540:
541: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libvirt/storage
542: \033[0m default.xml \033[0m\033[34m autostart \033[0m\033[34m . \033[0m\033[34m .. \033
[0m
543:
544: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libvirt/hooks
545: \033[34m . \033[0m\033[34m .. \033[0m
546:
547: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/mercurial/hgrc.d
548: \033[0m cacerts.rc \033[0m\033[34m . \033[0m\033[0m mergetools.rc \033[0m\033[0m hgext.
rc \033[0m\033[34m .. \033[0m
549:
550: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/.java/.systemPrefs
551: \033[0m .system.lock \033[0m\033[0m .systemRootModFile \033[0m\033[34m . \033[0m\033[34
m .. \033[0m
552:
553: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/lighttpd/conf-enabled
554: \033[34m . \033[0m\033[32m 90-javascript-alias.conf \033[0m\033[34m .. \033[0m
555:
556: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/lighttpd/conf-available
557: \033[34m . \033[0m\033[0m 90-javascript-alias.conf \033[0m\033[34m .. \033[0m
558:
559: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/sane.d/dll.d
560: \033[34m . \033[0m\033[34m .. \033[0m
561:
562: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gnome-vfs-2.0/modules
563: \033[34m . \033[0m\033[0m default-modules.conf \033[0m\033[34m .. \033[0m
564:
565: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/os-brick/rootwrap.d
566: \033[0m os-brick.filters \033[0m\033[34m . \033[0m\033[34m .. \033[0m
567:
568: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gconf/gconf.xml.defaults
569: \033[0m %gconf-tree.xml \033[0m\033[34m . \033[0m\033[34m .. \033[0m
570:
571: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gconf/2
572: \033[0m evoldap.conf \033[0m\033[0m path \033[0m\033[34m . \033[0m\033[34m .. \033[0m
573:
574: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gconf/gconf.xml.mandatory
575: \033[0m %gconf-tree.xml \033[0m\033[34m . \033[0m\033[34m .. \033[0m
576:
577: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/pm/power.d
578: \033[34m . \033[0m\033[34m .. \033[0m
579:
580: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/pm/sleep.d
581: \033[0m 10_unattended-upgrades-hibernate \033[0m\033[0m 10_grub-common \033[0m\033[34m
. \033[0m\033[34m .. \033[0m
582:
583: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/pm/config.d
584: \033[34m . \033[0m\033[34m .. \033[0m
585:
586: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/xml/resolver
```

```
587: \033[0m CatalogManager.properties \033[0m\033[34m . \033[0m\033[34m .. \033[0m
588:
589: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/update-manager/release-upgrades.d
590: \033[34m . \033[0m\033[34m .. \033[0m
591:
592: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/polkit-1/localauthority.conf.d
593: \033[0m 50-localauthority.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m 51-u
buntu-admin.conf \033[0m
594:
595: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/polkit-1/localauthority
596: No execute permission. Cannot change into dir.
597:
598:
599: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/polkit-1/nullbackend.conf.d
600: \033[0m 50-nullbackend.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
601:
602: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/udev/hwdb.d
603: \033[34m . \033[0m\033[34m .. \033[0m
604:
605: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/udev/rules.d
606: \033[0m 80-net-setup-link.rules \033[0m\033[34m . \033[0m\033[34m .. \033[0m
607:
608: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/java/security
609: \033[34m security.d \033[0m\033[34m . \033[0m\033[34m .. \033[0m
610:
611: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/wok/plugins.d
612: \033[34m . \033[0m\033[34m .. \033[0m
613:
614: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/nginx/snippets
615: \033[0m fastcgi-php.conf \033[0m\033[34m . \033[0m\033[0m snakeoil.conf \033[0m\033[34m
.. \033[0m
616:
617: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/nginx/sites-enabled
618: \033[34m . \033[0m\033[34m .. \033[0m\033[32m default \033[0m
619:
620: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/nginx/sites-available
621: \033[34m . \033[0m\033[34m .. \033[0m\033[0m default \033[0m
622:
623: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/nginx/conf.d
624: \033[34m . \033[0m\033[34m .. \033[0m
625:
626: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/avahi/services
627: \033[34m . \033[0m\033[34m .. \033[0m
628:
629: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/appport/blacklist.d
630: \033[0m README.blacklist \033[0m\033[0m appport \033[0m\033[34m . \033[0m\033[34m ..
\033[0m
631:
632: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apt/preferences.d
633: \033[34m . \033[0m\033[34m .. \033[0m
634:
635: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apt/apt.conf.d
636: \033[0m 01autoremove \033[0m\033[0m 99update-notifier \033[0m\033[0m 15update-stamp
\033[0m\033[0m 20archive \033[0m\033[0m 01autoremove-kernels \033[0m\033[34m . \033[0m\033[0m
00trustcdrom \033[0m\033[0m 01-vendor-ubuntu \033[0m\033[0m 50unattended-upgrades \033[0m\033[
0m 10periodic \033[0m\033[34m .. \033[0m\033[0m 70debconf \033[0m\033[0m 00aptitude \033[0m
\033[0m 00CDMountPoint \033[0m
637:
638: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apt/sources.list.d
639: \033[0m mumble-release-trusty.list.distUpgrade \033[0m\033[0m mumble-release-trusty.lis
t.save \033[0m\033[0m cwchien-gradle-trusty.list \033[0m\033[0m ubuntu-toolchain-r-test-trus
ty.list \033[0m\033[0m ubuntu-toolchain-r-test-trusty.list.distUpgrade \033[0m\033[0m mumble-rel
ease-trusty.list \033[0m\033[34m . \033[0m\033[0m cwchien-gradle-trusty.list.distUpgrade \033[
```

```
0m\033[34m .. \033[0m\033[0m cwchien-gradle-trusty.list.save \033[0m
640:
641: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apt/trusted.gpg.d
642: \033[0m mumble-release.gpg \033[0m\033[0m ubuntu-toolchain-r-test.gpg \033[0m\033[0m cw
chien-gradle.gpg~ \033[0m\033[0m ubuntu-toolchain-r-test.gpg~ \033[0m\033[0m cwchien-gradle.gp
g \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m mumble-release.gpg~ \033[0m
643:
644: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apache2/mods-available
645: \033[0m lbmethod_bytraffic.load \033[0m\033[0m vhost_alias.load \033[0m\033[0m autoinde
x.conf \033[0m\033[0m dav_fs.load \033[0m\033[0m unique_id.load \033[0m\033[0m cgi.load \033[0
m\033[0m proxy_connect.load \033[0m\033[0m cache_socache.load \033[0m\033[0m ssl.conf \033[0m
\033[0m proxy_ftp.conf \033[0m\033[0m lbmethod_byrequests.load \033[0m\033[0m slotmem_shm.load
\033[0m\033[0m echo.load \033[0m\033[0m env.load \033[0m\033[0m cgid.load \033[0m\033[0m soca
che_dbm.load \033[0m\033[0m mime_magic.conf \033[0m\033[0m info.conf \033[0m\033[0m allowmetho
ds.load \033[0m\033[0m filter.load \033[0m\033[0m asis.load \033[0m\033[0m proxy_ajp.load \033
[0m\033[0m dir.conf \033[0m\033[0m authnz_ldap.load \033[0m\033[0m usertrack.load \033[0m\033[
0m alias.conf \033[0m\033[0m xml2enc.load \033[0m\033[0m negotiation.conf \033[0m\033[0m proxy
_balancer.load \033[0m\033[0m dav_lock.load \033[0m\033[0m heartmonitor.load \033[0m\033[0m mp
m_worker.conf \033[0m\033[0m info.load \033[0m\033[0m negotiation.load \033[0m\033[0m proxy_ba
lancer.conf \033[0m\033[0m slotmem_plain.load \033[0m\033[0m buffer.load \033[0m\033[0m autoin
dex.load \033[0m\033[0m proxy_wstunnel.load \033[0m\033[0m authn_core.load \033[0m\033[0m lbme
thod_bybusyness.load \033[0m\033[0m deflate.conf \033[0m\033[0m suexec.load \033[0m\033[0m cha
rset_lite.load \033[0m\033[0m macro.load \033[0m\033[0m proxy.conf \033[0m\033[0m ldap.load
\033[0m\033[0m setenvif.conf \033[0m\033[0m userdir.conf \033[0m\033[0m authn_socache.load
\033[0m\033[0m proxy_scgi.load \033[0m\033[0m status.load \033[0m\033[0m authz_core.load \033[
0m\033[0m wsgi.load \033[0m\033[0m alias.load \033[0m\033[0m proxy.load \033[0m\033[0m mime.co
nf \033[0m\033[0m file_cache.load \033[0m\033[0m spelling.load \033[0m\033[0m data.load \033[0m
\033[0m authz_dbd.load \033[0m\033[0m authz_groupfile.load \033[0m\033[0m cache.load \033[0m
\033[0m log_debug.load \033[0m\033[0m deflate.load \033[0m\033[0m reflector.load \033[0m\033[0
m mime_magic.load \033[0m\033[0m session_crypto.load \033[0m\033[0m access_compat.load \033[0m
\033[0m substitute.load \033[0m\033[0m actions.load \033[0m\033[0m dump_io.load \033[0m\033[0m
session_cookie.load \033[0m\033[0m dbd.load \033[0m\033[0m socache_shmcb.load \033[0m\033[0m
mpm_prefork.load \033[0m\033[0m ldap.conf \033[0m\033[0m proxy_fcgi.load \033[0m\033[0m expire
s.load \033[0m\033[0m ext_filter.load \033[0m\033[0m authz_owner.load \033[0m\033[0m userdir.l
oad \033[0m\033[0m proxy_http.load \033[0m\033[0m authn_dbm.load \033[0m\033[0m proxy_html loa
d \033[0m\033[0m dav.load \033[0m\033[0m dialup.load \033[0m\033[0m authz_user.load \033[0m
\033[0m cache_disk.load \033[0m\033[0m authn_file.load \033[0m\033[0m dav_fs.conf \033[0m\033[
0m authn_dbd.load \033[0m\033[0m authz_host.load \033[0m\033[0m auth_digest.load \033[0m\033[0
m mime.load \033[0m\033[0m proxy_express.load \033[0m\033[0m cgid.conf \033[0m\033[0m sed.load
\033[0m\033[0m proxy_fdpass.load \033[0m\033[0m authz_dbm.load \033[0m\033[0m socache_memcach
e.load \033[0m\033[34m . \033[0m\033[0m setenvif.load \033[0m\033[0m ident.load \033[0m\033[0m
log_forensic.load \033[0m\033[0m include.load \033[0m\033[0m mpm_prefork.conf \033[0m\033[0m
cache_disk.conf \033[0m\033[0m reqtimeout.conf \033[0m\033[0m wsgi.conf \033[0m\033[0m actions
.conf \033[0m\033[0m reqtimeout.load \033[0m\033[0m ssl.load \033[0m\033[0m lua.load \033[0m
\033[0m remoteip.load \033[0m\033[0m ratelimit.load \033[0m\033[0m request.load \033[0m\033[0m
auth_basic.load \033[0m\033[0m session.load \033[0m\033[34m .. \033[0m\033[0m session_dbd loa
d \033[0m\033[0m mpm_event.conf \033[0m\033[0m proxy_ftp.load \033[0m\033[0m heartbeat.load
\033[0m\033[0m rewrite.load \033[0m\033[0m status.conf \033[0m\033[0m auth_form.load \033[0m
\033[0m mpm_worker.load \033[0m\033[0m authn_anon.load \033[0m\033[0m lbmethod_heartbeat.load
\033[0m\033[0m mpm_event.load \033[0m\033[0m proxy_html.conf \033[0m\033[0m headers.load \033[
0m\033[0m dir.load \033[0m\033[0m authnz_fcgi.load \033[0m
646:
647: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apache2/mods-enabled
648: \033[32m autoindex.conf \033[0m\033[32m env.load \033[0m\033[32m filter.load \033[0m
\033[32m dir.conf \033[0m\033[32m alias.conf \033[0m\033[32m negotiation.conf \033[0m\033[32m
negotiation.load \033[0m\033[32m autoindex.load \033[0m\033[32m authn_core.load \033[0m\033[32
m deflate.conf \033[0m\033[32m setenvif.conf \033[0m\033[32m status.load \033[0m\033[32m authz
_core.load \033[0m\033[32m wsgi.load \033[0m\033[32m alias.load \033[0m\033[32m mime.conf \033
[0m\033[32m deflate.load \033[0m\033[32m access_compat.load \033[0m\033[0m proxy_http.load
\033[0m\033[32m authz_user.load \033[0m\033[32m authn_file.load \033[0m\033[32m authz_host loa
d \033[0m\033[32m mime.load \033[0m\033[34m . \033[0m\033[32m setenvif.load \033[0m\033[32m ws
gi.conf \033[0m\033[32m auth_basic.load \033[0m\033[34m .. \033[0m\033[32m mpm_event.conf \033
[0m\033[32m status.conf \033[0m\033[32m mpm_event.load \033[0m\033[32m dir.load \033[0m
```

```
649:
650: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apache2/conf-enabled
651: \033[32m security.conf \033[0m\033[32m charset.conf \033[0m\033[32m serve-cgi-bin.conf
\033[0m\033[32m javascript-common.conf \033[0m\033[34m . \033[0m\033[32m other-vhosts-access-log.conf \033[0m\033[32m localized-error-pages.conf \033[0m\033[34m .. \033[0m
652:
653: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apache2/sites-enabled
654: \033[32m 000-default.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
655:
656: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apache2/sites-available
657: \033[0m 000-default.conf \033[0m\033[0m default-ssl.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
34m .. \033[0m
658:
659: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apache2/conf-available
660: \033[0m security.conf \033[0m\033[0m charset.conf \033[0m\033[0m serve-cgi-bin.conf
\033[0m\033[0m javascript-common.conf \033[0m\033[34m . \033[0m\033[0m other-vhosts-access-log.conf \033[0m\033[0m localized-error-pages.conf \033[0m\033[34m .. \033[0m
661:
662: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor/init
663: \033[34m network-interface-security \033[0m\033[34m . \033[0m\033[34m .. \033[0m
664:
665: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/libvirt
666: \033[0m libvirt-df37d350-a683-30a8-6fdf-658da83df409.files \033[0m\033[0m TEMPLATE \033[0m\033[0m TEMPLATE.lxc \033[0m\033[34m . \033[0m\033[0m libvirt-df37d350-a683-30a8-6fdf-658da83df409 \033[0m\033[0m TEMPLATE.qemu \033[0m\033[34m .. \033[0m
667:
668: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/force-complain
669: \033[34m . \033[0m\033[34m .. \033[0m
670:
671: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/abstractions
672: \033[0m ibus \033[0m\033[0m ubuntu-console-browsers \033[0m\033[0m orbit2 \033[0m\033[0m dbus-session \033[0m\033[0m ssl_certs \033[0m\033[0m aspell \033[0m\033[0m ruby \033[0m\033[0m ubuntu-email \033[0m\033[0m winbind \033[0m\033[0m smbpass \033[0m\033[0m libvirt-qemu \033[0m\033[0m freedesktop.org \033[0m\033[0m ubuntu-helpers \033[0m\033[0m kde \033[0m\033[0m user-download \033[0m\033[0m ubuntu-unity7-base \033[0m\033[0m kerberosclient \033[0m\033[0m ubuntu-unity7-launcher \033[0m\033[0m base \033[0m\033[0m xad \033[0m\033[0m user-mail \033[0m\033[0m mdns \033[0m\033[0m postfix-common \033[0m\033[0m dbus \033[0m\033[0m nameservice \033[0m\033[0m dbus-strict \033[0m\033[0m dconf \033[0m\033[0m p11-kit \033[0m\033[0m ubuntu-media-players \033[0m\033[0m video \033[0m\033[0m ubuntu-konsole \033[0m\033[0m gnupg \033[0m\033[0m user-manpages \033[0m\033[0m authentication \033[0m\033[0m user-write \033[0m\033[0m svn-repositories \033[0m\033[0m ubuntu-xterm \033[0m\033[0m samba \033[0m\033[0m wutmp \033[0m\033[0m dbus-accessibility \033[0m\033[0m dovecot-common \033[0m\033[0m nis \033[0m\033[0m launchpad-integration \033[0m\033[0m private-files \033[0m\033[0m libvirt-lxc \033[0m\033[0m mysql \033[0m\033[0m apparmor_api \033[0m\033[0m python \033[0m\033[0m ldapclient \033[0m\033[0m ubuntu-fed-readers \033[0m\033[34m ubuntu-browsers.d \033[0m\033[0m gnome \033[0m\033[34m . \033[0m\033[0m openssl \033[0m\033[0m cups-client \033[0m\033[0m ubuntu-console-email \033[0m\033[0m mir \033[0m\033[0m ubuntu-gnome-terminal \033[0m\033[0m user-tmp \033[0m\033[0m nvidia \033[0m\033[0m enchant \033[0m\033[0m ssl_keys \033[0m\033[0m apache2-common \033[0m\033[0m dbus-session-strict \033[0m\033[0m dbus-accessibility-strict \033[0m\033[0m X \033[0m\033[0m likewise \033[0m\033[0m web-data \033[0m\033[0m ubuntu-unity7-messaging \033[0m\033[0m fonts \033[0m\033[0m audio \033[0m\033[34m .. \033[0m\033[0m perl \033[0m\033[0m private-files-strict \033[0m\033[0m xdg-desktop \033[0m\033[0m php5 \033[0m\033[0m ubuntu-browsers \033[0m\033[0m bash \033[0m\033[0m consoles \033[0m\033[0m ubuntu-bittorrent-clients \033[0m
673:
674: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/snap
675: \033[34m abstractions \033[0m\033[34m . \033[0m\033[34m .. \033[0m
676:
677: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/tunables
678: \033[34m xdg-user-dirs.d \033[0m\033[0m global \033[0m\033[34m home.d \033[0m\033[0m proc \033[0m\033[0m sys \033[0m\033[0m apparmorfs \033[0m\033[0m alias \033[0m\033[0m securityfs \033[0m\033[0m dovecot \033[0m\033[34m . \033[0m\033[34m multiarch.d \033[0m\033[34m .. \033[0m\033[0m multiarch \033[0m\033[0m xdg-user-dirs \033[0m\033[0m home \033[0m\033[0m kernelvars \033[0m
```



```
679:
680: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/disable
681: \033[32m usr.sbin.rsyslogd \033[0m\033[34m . \033[0m\033[34m .. \033[0m
682:
683: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/cache
684: \033[0m usr.lib.libvirt.virt-aa-helper \033[0m\033[0m usr.sbin.libvirtd \033[0m\033[0m
usr.sbin.tcpdump \033[0m\033[0m .features \033[0m\033[0m sbin.dhclient \033[0m\033[34m . \033[
0m\033[34m .. \033[0m
685:
686: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/local
687: \033[0m usr.sbin.libvirtd \033[0m\033[0m README \033[0m\033[0m usr.sbin.tcpdump \033[0m
\033[0m sbin.dhclient \033[0m\033[0m usr.sbin.rsyslogd \033[0m\033[34m . \033[0m\033[34m ..
\033[0m
688:
689: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/sound/events
690: \033[0m gnome-2.soundlist \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m gtk-event
s-2.soundlist \033[0m
691:
692: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/gss/mech.d
693: \033[0m README \033[0m\033[34m . \033[0m\033[34m .. \033[0m
694:
695: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/network/if-up.d
696: \033[0m ethtool \033[0m\033[0m avahi-daemon \033[0m\033[32m wpasupplicant \033[0m\033[0
m ntpdate \033[0m\033[0m openssh-server \033[0m\033[0m 000resolvconf \033[0m\033[34m . \033[0m
\033[34m .. \033[0m\033[0m upstart \033[0m
697:
698: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/network/if-down.d
699: \033[32m wpasupplicant \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m resolvconf
\033[0m\033[0m upstart \033[0m
700:
701: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/network/interfaces.d
702: \033[34m . \033[0m\033[34m .. \033[0m
703:
704: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/network/if-pre-up.d
705: \033[0m ethtool \033[0m\033[32m wpasupplicant \033[0m\033[32m bridge \033[0m\033[34m .
\033[0m\033[34m .. \033[0m\033[0m wireless-tools \033[0m
706:
707: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/network/if-post-down.d
708: \033[32m avahi-daemon \033[0m\033[32m wpasupplicant \033[0m\033[32m bridge \033[0m\033[
34m . \033[0m\033[34m .. \033[0m\033[0m wireless-tools \033[0m
709:
710: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts
711: \033[34m panic \033[0m\033[34m local-top \033[0m\033[34m nfs-premount \033[0m\033[34m i
nit-bottom \033[0m\033[34m init-premount \033[0m\033[34m local-premount \033[0m\033[34m nfs-bo
ttom \033[0m\033[34m local-bottom \033[0m\033[34m . \033[0m\033[34m init-top \033[0m\033[34m n
fs-top \033[0m\033[34m .. \033[0m
712:
713: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/hooks
714: \033[0m reiserfsprogs \033[0m\033[34m . \033[0m\033[34m .. \033[0m
715:
716: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/conf.d
717: \033[0m resume \033[0m\033[34m . \033[0m\033[34m .. \033[0m
718:
719: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/emacs/site-start.d
720: \033[0m 50python-docutils.el \033[0m\033[0m 00debian-vars.el \033[0m\033[0m 50autoconf.
el \033[0m\033[0m 50dictionaries-common.el \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m
50cmake-data.el \033[0m
721:
722: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/insserv/overrides
723: \033[34m . \033[0m\033[34m .. \033[0m
724:
725: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/kernel/postrm.d
726: \033[0m zz-update-grub \033[0m\033[0m initramfs-tools \033[0m\033[34m . \033[0m\033[34m
```

```
.. \033[0m
727:
728: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/kernel/postinst.d
729: \033[0m apt-auto-removal \033[0m\033[0m unattended-upgrades \033[0m\033[0m zz-update-gr
ub \033[0m\033[0m initramfs-tools \033[0m\033[34m . \033[0m\033[32m update-notifier \033[0m
\033[34m .. \033[0m\033[0m pm-utils \033[0m
730:
731: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dhcp/dhclient-exit-hooks.d
732: \033[0m timesyncd \033[0m\033[0m ntpdate \033[0m\033[0m rfc3442-classless-routes \033[0
m\033[32m debug \033[0m\033[34m . \033[0m\033[34m .. \033[0m
733:
734: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dhcp/dhclient-enter-hooks.d
735: \033[32m debug \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m resolvconf \033[0m
736:
737: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ufw/applications.d
738: \033[0m openssh-server \033[0m\033[0m nginx \033[0m\033[34m apache2 \033[0m\033[34m .
\033[0m\033[0m apache2-utils.ufw.profile \033[0m\033[34m .. \033[0m
739:
740: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ca-certificates/update.d
741: \033[0m jks-keystore \033[0m\033[34m . \033[0m\033[34m .. \033[0m
742:
743: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/mysql/conf.d
744: \033[0m mysql.cnf \033[0m\033[0m mysqldump.cnf \033[0m\033[34m . \033[0m\033[34m ..
\033[0m
745:
746: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/kimchi/distros.d
747: \033[34m . \033[0m\033[34m .. \033[0m
748:
749: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ifplugd/action.d
750: \033[32m action_wpa \033[0m\033[34m . \033[0m\033[34m .. \033[0m
751:
752: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/logcheck/ignore.d.server
753: \033[0m ntpdate \033[0m\033[0m rsyslog \033[0m\033[0m mdadm \033[0m\033[0m ssmtp \033[0
m\033[0m libsasl2-modules \033[0m\033[34m . \033[0m\033[34m .. \033[0m
754:
755: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/logcheck/violations.d
756: \033[0m mdadm \033[0m\033[34m . \033[0m\033[34m .. \033[0m
757:
758: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apm/event.d
759: \033[0m 20hdparm \033[0m\033[34m . \033[0m\033[34m .. \033[0m
760:
761: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/xdg/virt-builder
762: \033[34m . \033[0m\033[34m repos.d \033[0m\033[34m .. \033[0m
763:
764: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/xdg/autostart
765: \033[0m notification-daemon-autostart.desktop \033[0m\033[0m at-spi-dbus-bus.desktop
\033[0m\033[0m gsettings-data-convert.desktop \033[0m\033[0m indicator-application.desktop
\033[0m\033[0m polkit-gnome-authentication-agent-1.desktop \033[0m\033[34m . \033[0m\033[0m ze
itgeist-datahub.desktop \033[0m\033[34m .. \033[0m
766:
767: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/xdg/systemd
768: \033[34m . \033[0m\033[32m user \033[0m\033[34m .. \033[0m
769:
770: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/java-7-openjdk/security
771: \033[0m java.policy \033[0m\033[0m java.security \033[0m\033[34m . \033[0m\033[34m ..
\033[0m\033[0m nss.cfg \033[0m\033[0m blacklisted.certs \033[0m
772:
773: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/java-7-openjdk/images
774: \033[34m cursors \033[0m\033[34m . \033[0m\033[34m .. \033[0m
775:
776: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/java-7-openjdk/management
777: \033[0m management.properties \033[0m\033[0m snmp.acl \033[0m\033[0m jmxremote.password
\033[0m\033[0m jmxremote.access \033[0m\033[34m . \033[0m\033[34m .. \033[0m
```

```
778:
779: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/fonts/conf.avail
780: \033[0m 10-hinting-medium.conf \033[0m\033[0m 30-metric-aliases.conf \033[0m\033[0m 69-
language-selector-zh-sg.conf \033[0m\033[0m 10-autohint.conf \033[0m\033[0m 10-antialias.conf
\033[0m\033[0m 64-language-selector-prefer.conf \033[0m\033[0m 20-unhint-small-dejavu-sans-mono.conf \033[0m\033[0m 10-scale-bitmap-fonts.conf \033[0m\033[0m 57-dejavu-sans.conf \033[0m\033[0m 10-sub-pixel-rgb.conf \033[0m\033[0m 10-sub-pixel-vbgr.conf \033[0m\033[0m 53-monospace-lcd-filter.conf \033[0m\033[0m 11-lcdfilter-default.conf \033[0m\033[0m 65-fonts-persian.conf \033[0m\033[0m 30-cjk-aliases.conf \033[0m\033[0m 99-language-selector-zh.conf \033[0m\033[0m 11-lcdfilter-legacy.conf \033[0m\033[0m 10-sub-pixel-vrgb.conf \033[0m\033[0m 40-nonlatin.conf \033[0m\033[0m 57-dejavu-serif.conf \033[0m\033[0m 58-dejavu-lgc-sans-mono.conf \033[0m\033[0m 20-unhint-small-dejavu-serif.conf \033[0m\033[0m 65-fonts-lmodern.conf \033[0m\033[0m 70-no-bitmaps.conf \033[0m\033[0m 60-latin.conf \033[0m\033[0m 69-language-selector-zh-cn.conf \033[0m\033[0m 65-nonlatin.conf \033[0m\033[0m 80-delicious.conf \033[0m\033[0m 90-synthetic.conf \033[0m\033[0m 69-language-selector-zh-tw.conf \033[0m\033[0m 69-language-selector-zh-mo.conf \033[0m\033[0m 90-fonts-linux-libertine.conf \033[0m\033[0m 50-user.conf \033[0m\033[0m 65-droid-sans-fallback.conf \033[0m\033[0m 10-hinting-slight.conf \033[0m\033[0m 58-dejavu-lgc-sans.conf \033[0m\033[0m 25-unhint-nonlatin.conf \033[0m\033[0m 65-khmer.conf \033[0m\033[0m 58-dejavu-lgc-serif.conf \033[0m\033[0m 30-urw-aliases.conf \033[0m\033[0m 51-local.conf \033[0m\033[0m 57-dejavu-sans-mono.conf \033[0m\033[0m 20-unhint-small-vera.conf \033[0m\033[0m 10-hinting.conf \033[0m\033[0m 10-hinting-full.conf \033[0m\033[0m 45-latin.conf \033[0m\033[0m 11-lcdfilter-light.conf \033[0m\033[0m 20-unhint-small-dejavu-lgc-sans.conf \033[0m\033[34m .
\033[0m\033[0m 10-sub-pixel-bgr.conf \033[0m\033[0m 10-unhinted.conf \033[0m\033[0m 70-yes-bitmaps.conf \033[0m\033[0m 10-no-sub-pixel.conf \033[0m\033[0m 69-language-selector-zh-hk.conf \033[0m\033[0m 20-unhint-small-dejavu-sans.conf \033[0m\033[0m 20-unhint-small-dejavu-lgc-serif.conf \033[0m\033[34m .. \033[0m\033[0m 49-sansserif.conf \033[0m\033[0m 70-force-bitmaps.conf \033[0m\033[0m 20-unhint-small-dejavu-lgc-sans-mono.conf \033[0m\033[0m 69-unifont.conf \033[0m
781:
782: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/fonts/conf.d
783: \033[32m 30-metric-aliases.conf \033[0m\033[32m 69-language-selector-zh-sg.conf \033[0m\033[32m 10-antialias.conf \033[0m\033[32m 64-language-selector-prefer.conf \033[0m\033[32m 20-unhint-small-dejavu-sans-mono.conf \033[0m\033[0m README \033[0m\033[32m 10-scale-bitmap-fonts.conf \033[0m\033[32m 57-dejavu-sans.conf \033[0m\033[32m 11-lcdfilter-default.conf \033[0m\033[32m 65-fonts-persian.conf \033[0m\033[32m 30-cjk-aliases.conf \033[0m\033[32m 99-language-selector-zh.conf \033[0m\033[32m 40-nonlatin.conf \033[0m\033[32m 57-dejavu-serif.conf \033[0m\033[32m 58-dejavu-lgc-sans-mono.conf \033[0m\033[32m 20-unhint-small-dejavu-serif.conf \033[0m\033[32m 70-no-bitmaps.conf \033[0m\033[32m 60-latin.conf \033[0m\033[32m 69-language-selector-zh-cn.conf \033[0m\033[32m 65-nonlatin.conf \033[0m\033[32m 80-delicious.conf \033[0m\033[32m 90-synthetic.conf \033[0m\033[32m 69-language-selector-zh-tw.conf \033[0m\033[32m 69-language-selector-zh-mo.conf \033[0m\033[32m 50-user.conf \033[0m\033[32m 65-droid-sans-fallback.conf \033[0m\033[32m 10-hinting-slight.conf \033[0m\033[32m 58-dejavu-lgc-sans.conf \033[0m\033[32m 58-dejavu-lgc-serif.conf \033[0m\033[32m 30-urw-aliases.conf \033[0m\033[32m 51-local.conf \033[0m\033[32m 57-dejavu-sans-mono.conf \033[0m\033[32m 20-unhint-small-vera.conf \033[0m\033[32m 10-hinting.conf \033[0m\033[32m 45-latin.conf \033[0m\033[32m 20-unhint-small-dejavu-lgc-sans.conf \033[0m\033[34m . \033[0m\033[32m 69-language-selector-zh-hk.conf \033[0m\033[32m 20-unhint-small-dejavu-sans.conf \033[0m\033[32m 20-unhint-small-dejavu-lgc-serif.conf \033[0m\033[34m .. \033[0m\033[32m 49-sansserif.conf \033[0m\033[32m 20-unhint-small-dejavu-lgc-sans-mono.conf \033[0m\033[32m 69-unifont.conf \033[0m
784:
785: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ghostscript/cidfmap.d
786: \033[0m 90gs-cjk-resource-japan2.conf \033[0m\033[0m 90gs-cjk-resource-cns1.conf \033[0m\033[0m 90gs-cjk-resource-koreal.conf \033[0m\033[0m 90gs-cjk-resource-gbl.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m 90gs-cjk-resource-japan1.conf \033[0m
787:
788: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ghostscript/fontmap.d
789: \033[0m 10gsfonts.conf \033[0m\033[34m . \033[0m\033[34m .. \033[0m
790:
791: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dbus-1/system.d
792: \033[0m org.freedesktop.systemd1.conf \033[0m\033[0m org.freedesktop.UDisks2.conf \033[0m\033[0m org.freedesktop.PolicyKit1.conf \033[0m\033[0m org.freedesktop.timedate1.conf \033[0m\033[0m org.freedesktop.hostname1.conf \033[0m\033[0m wpa_supplicant.conf \033[0m\033[0m org.freedesktop.network1.conf \033[0m\033[0m org.freedesktop.login1.conf \033[0m\033[0m org.freedesktop
```

```

sktop.Accounts.conf \033[0m\033[0m com.ubuntu.LanguageSelector.conf \033[0m\033[0m org.freedesktop.locale1.conf \033[0m\033[0m com.ubuntu.SoftwareProperties.conf \033[0m\033[0m org.freedesktop.thermal.conf \033[0m\033[0m Mountall.Server.conf \033[0m\033[0m avahi-dbus.conf \033[0m\033[0m FirewallD.conf \033[0m\033[34m . \033[0m\033[0m Upstart.conf \033[0m\033[0m dnsmasq.conf \033[0m\033[0m org.freedesktop.resolve1.conf \033[0m\033[0m org.debian.AptXapianIndex.conf \033[0m\033[34m .. \033[0m\033[0m org.freedesktop.ColorManager.conf \033[0m\033[0m mumble-server.conf \033[0m
793:
794: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dbus-1/session.d
795: \033[34m . \033[0m\033[34m .. \033[0m
796:
797: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system
798: \033[34m paths.target.wants \033[0m\033[32m libvirtd.service \033[0m\033[34m sysinit.target.wants \033[0m\033[34m default.target.wants \033[0m\033[32m dbus-org.freedesktop.Avahi.service \033[0m\033[34m sockets.target.wants \033[0m\033[32m syslog.service \033[0m\033[32m iscsi.service \033[0m\033[34m multi-user.target.wants \033[0m\033[34m basic.target.wants \033[0m\033[34m . \033[0m\033[32m dbus-org.fedoraproject.FirewallD1.service \033[0m\033[34m graphical.target.wants \033[0m\033[32m sshd.service \033[0m\033[34m .. \033[0m\033[34m network-online.target.wants \033[0m\033[34m getty.target.wants \033[0m\033[34m timers.target.wants \033[0m\033[32m dbus-org.freedesktop.thermal.service \033[0m\033[34m remote-fs.target.wants \033[0m
799:
800: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/network
801: \033[0m 50-virtio-kernel-names.link \033[0m\033[34m . \033[0m\033[34m .. \033[0m
802:
803: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/user
804: \033[34m . \033[0m\033[34m .. \033[0m
805:
806: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/perl/Net
807: \033[0m libnet.cfg \033[0m\033[34m . \033[0m\033[34m .. \033[0m
808:
809: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/perl/CPAN
810: \033[34m . \033[0m\033[34m .. \033[0m
811:
812: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/resolvconf/update.d
813: \033[0m libc \033[0m\033[34m . \033[0m\033[0m dnscache \033[0m\033[34m .. \033[0m
814:
815: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/resolvconf/resolv.conf.d
816: \033[32m tail \033[0m\033[0m base \033[0m\033[34m . \033[0m\033[0m head \033[0m\033[34m .. \033[0m
.. \033[0m
817:
818: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/resolvconf/update-libc.d
819: \033[0m avahi-daemon \033[0m\033[34m . \033[0m\033[34m .. \033[0m
820:
821: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/acpi/events
822: \033[0m powerbtn \033[0m\033[34m . \033[0m\033[34m .. \033[0m
823:
824: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dpkg/origins
825: \033[0m debian \033[0m\033[34m . \033[0m\033[34m .. \033[0m\033[0m ubuntu \033[0m\033[32m default \033[0m
826:
827: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/dpkg/dpkg.cfg.d
828: \033[0m pkg-config-hook-config \033[0m\033[34m . \033[0m\033[34m .. \033[0m
829:
830: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/default/grub.d
831: \033[34m . \033[0m\033[34m .. \033[0m
832:
833: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/libvirt
834: \033[0m libvirtxml_fsimage.tmpl \033[0m\033[0m libvirtxml.tmpl \033[0m\033[34m . \033[0m\033[34m .. \033[0m
835:
836: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/virtualbox
837: \033[0m vm_deploy_script.tmpl \033[0m\033[34m . \033[0m\033[34m .. \033[0m
838:

```

```
839: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/debian
840: \033[0m locale.tpl \033[0m\033[0m interfaces.tpl \033[0m\033[0m timezone.tpl \033[0m
\033[0m initctl-stub.tpl \033[0m\033[0m is-compat-env.tpl \033[0m\033[0m kernelimg.tpl \033
[0m\033[0m nostart-policy-rc.d.tpl \033[0m\033[0m etc_hosts.tpl \033[0m\033[0m upstart.tpl
\033[0m\033[0m sources.list.tpl \033[0m\033[0m xen-ld-so-conf.tpl \033[0m\033[34m . \033[0m
\033[0m sudoers.tpl \033[0m\033[0m devicemap.tpl \033[0m\033[34m .. \033[0m
841:
842: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/postinst
843: \033[34m . \033[0m\033[34m .. \033[0m
844:
845: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/ec2
846: \033[0m landscape_client.tpl \033[0m\033[0m ec2_version.tpl \033[0m\033[0m sshd_conf
g.tpl \033[0m\033[34m . \033[0m\033[0m sudoers.tpl \033[0m\033[34m .. \033[0m
847:
848: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/network
849: \033[34m . \033[0m\033[34m .. \033[0m
850:
851: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/xen
852: \033[34m . \033[0m\033[34m .. \033[0m
853:
854: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/vmware
855: \033[0m flat.vmdk.tpl \033[0m\033[34m . \033[0m\033[0m vmware.tpl \033[0m\033[0m esxi
.vmx.tpl \033[0m\033[34m .. \033[0m
856:
857: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/kvm
858: \033[34m . \033[0m\033[34m .. \033[0m
859:
860: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/firstscripts
861: \033[0m firstbootrc.tpl \033[0m\033[0m firstloginrc.tpl \033[0m\033[34m . \033[0m\033
[34m .. \033[0m
862:
863: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/vmbuilder/ubuntu
864: \033[0m dapper_fstab.tpl \033[0m\033[0m locale.tpl \033[0m\033[0m interfaces.tpl
\033[0m\033[0m timezone.tpl \033[0m\033[0m initctl-stub.tpl \033[0m\033[0m dapper_fstab_fs
im
age.tpl \033[0m\033[0m is-compat-env.tpl \033[0m\033[0m kernelimg.tpl \033[0m\033[0m nos
tar
t-policy-rc.d.tpl \033[0m\033[0m etc_hosts.tpl \033[0m\033[0m upstart.tpl \033[0m\033[0
m
sources.list.tpl \033[0m\033[0m xen-ld-so-conf.tpl \033[0m\033[34m . \033[0m\033[0m
sudoers
tm
pl \033[0m\033[0m devicemap.tpl \033[0m\033[34m .. \033[0m\033[0m 51_update-motd-hardy
.tpl
\033[0m\033[0m 51_update-motd.tpl \033[0m
865:
866: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ssl/private
867: No execute permission. Cannot change into dir.
868:
869:
870: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ssl/certs
871: \033[34m . \033[0m\033[34m .. \033[0m\033[32m 578d5c04.0 \033[0m\033[32m CA_Disig
.pem
\033[0m\033[32m AddTrust_Public_Services_Root.pem \033[0m\033[32m ca6e4ad9.0 \033[0m\033
[32m 8
317b10c.0 \033[0m\033[32m 04f60c28.0 \033[0m\033[32m NetLock_Business_=Class_B=_Root
.pem \033[
0m\033[32m bf64f35b.0 \033[0m\033[32m GeoTrust_Global_CA_2.pem \033[0m\033[32m 08aef7bb.0
\033[0
m\033[32m aeb67534.0 \033[0m\033[32m Taiwan_GRCA.pem \033[0m\033[32m 76579174.0 \033[0m\033
[32m
32m TWCA_Global_Root_CA.pem \033[0m\033[32m Verisign_Class_1_Public_Primary_Certificati
on_Auth
ority_-_G2.pem \033[0m\033[32m e18bfb83.0 \033[0m\033[32m Verisign_Class_2_Public_Primary
_Cert
ification_Authority_-_G3.pem \033[0m\033[32m ee7cd6fb.0 \033[0m\033[32m ad088eld.0 \033[0
m\033
[32m 46b2fd3b.0 \033[0m\033[32m StartCom_Certification_Authority_G2.pem \033[0m\033[32m
Swissc
om_Root_EV_CA_2.pem \033[0m\033[32m SwissSign_Silver_CA_-_G2.pem \033[0m\033[32m d16a5865
.0
\033[0m\033[32m 2c543cd1.0 \033[0m\033[32m Camerfirma_Global_Chambersign_Root.pem \033[0
m\033[
32m 418595b9.0 \033[0m\033[32m 4304c5e5.0 \033[0m\033[32m add67345.0 \033[0m\033[32m
Sonera_Cl
ass_1_Root_CA.pem \033[0m\033[32m ee1365c0.0 \033[0m\033[32m 064e0aa9.0 \033[0m\033[32m
Verisi
gn_Class_1_Public_Primary_Certification_Authority_-_G3.pem \033[0m\033[32m 9f0f5fd6.0
\033[0
m\033[32m 1d3472b9.0 \033[0m\033[32m c99398f3.0 \033[0m\033[32m bc3f2570.0 \033[0m\033[32
m 1874
d4aa.0 \033[0m\033[32m f060240e.0 \033[0m\033[32m 19c1fa33.0 \033[0m\033[32m f387163d.0
\033[0
m\033[32m d5727d6a.0 \033[0m\033[32m d66b55d9.0 \033[0m\033[32m WoSign_China.pem \033[0
m\033[3
2m 03179a64.0 \033[0m\033[32m China_Internet_Network_Information_Center_EV_Certificat
es_Root.p
```

em \033[0m\033[32m cc450945.0 \033[0m\033[32m 3c58f906.0 \033[0m\033[32m 1e1eab7c.0 \033[0m\033[32m d7746a63.0 \033[0m\033[32m 9339512a.0 \033[0m\033[32m 5f47b495.0 \033[0m\033[32m 3d441de8.0 \033[0m\033[32m 8d6437c3.0 \033[0m\033[32m 119afc2e.0 \033[0m\033[32m 024dc131.0 \033[0m\033[32m 1df5a75f.0 \033[0m\033[32m 653b494a.0 \033[0m\033[32m 8867006a.0 \033[0m\033[32m 5a250ea7.0 \033[0m\033[32m 2e5ac55d.0 \033[0m\033[32m GlobalSign_Root_CA.pem \033[0m\033[32m 40dc992e.0 \033[0m\033[32m 3ee7e181.0 \033[0m\033[32m XRamp_Global_CA_Root.pem \033[0m\033[32m 3c860d51.0 \033[0m\033[32m Microsec_e-Szigno_Root_CA_2009.pem \033[0m\033[32m TÄ\234RKTRUST_Elekt ronik_Sertifika_Hizmet_SaÄ\237layÄ+cÄ+sÄ+_H5.pem \033[0m\033[32m 85cde254.0 \033[0m\033[32m 1636090b.0 \033[0m\033[32m c90bc37d.0 \033[0m\033[32m DigiCert_Assured_ID_Root_G3.pem \033[0m\033[32m 6e8bf996.0 \033[0m\033[32m COMODO_Certification_Authority.pem \033[0m\033[32m 812e17d e.0 \033[0m\033[32m ComSign_CA.pem \033[0m\033[32m 48a195d8.0 \033[0m\033[32m 8c24b137.0 \033[0m\033[32m 128805a3.0 \033[0m\033[32m Equifax_Secure_Global_eBusiness_CA.pem \033[0m\033[32m d64f06f3.0 \033[0m\033[32m 3c9a4d3b.0 \033[0m\033[32m f39fc864.0 \033[0m\033[32m e268a4c5.0 \033[0m\033[32m GlobalSign_ECC_Root_CA_-_R5.pem \033[0m\033[32m 9ec3a561.0 \033[0m\033[32m 4be590e0.0 \033[0m\033[32m 3bde41ac.0 \033[0m\033[32m b204d74a.0 \033[0m\033[32m a2c66da8.0 \033[0m\033[32m bd1910d4.0 \033[0m\033[32m Buypass_Class_2_CA_1.pem \033[0m\033[32m a7d2cf64.0 \033[0m\033[32m 89c02a45.0 \033[0m\033[32m 54657681.0 \033[0m\033[32m 415660c1.0 \033[0m\033[32m Equifax_Secure_eBusiness_CA_1.pem \033[0m\033[32m Entrust_Root_Certification_Authority_-_G2.pem \033[0m\033[32m 56657bde.0 \033[0m\033[32m 9772ca32.0 \033[0m\033[32m b727005e.0 \033[0m\033[32m b0e59380.0 \033[0m\033[32m Comodo_AAA_Services_root.pem \033[0m\033[32m 0810ba98.0 \033[0m\033[32m c01cdfa2.0 \033[0m\033[32m 2b349938.0 \033[0m\033[32m VeriSign_Universal_Root_Certifi cation_Authority.pem \033[0m\033[32m 18856ac4.0 \033[0m\033[32m c7e2a638.0 \033[0m\033[32m Sta rfield_Root_Certificate_Authority_-_G2.pem \033[0m\033[32m GeoTrust_Global_CA.pem \033[0m\033[32m 9c8dfbd4.0 \033[0m\033[32m 57692373.0 \033[0m\033[32m 3b2716e5.0 \033[0m\033[32m b1159c4c.0 \033[0m\033[32m IdenTrust_Public_Sector_Root_CA_1.pem \033[0m\033[32m 080911ac.0 \033[0m\033[32m thawte_Primary_Root_CA_-_G2.pem \033[0m\033[32m 876f1e28.0 \033[0m\033[32m d4c339cb.0 \033[0m\033[32m 1dac3003.0 \033[0m\033[32m 0fcafb69.0 \033[0m\033[32m 607986c7.0 \033[0m\033[32m Entrust_Root_Certification_Authority.pem \033[0m\033[32m 480720ec.0 \033[0m\033[32m 75680d2 e.0 \033[0m\033[32m f3377b1b.0 \033[0m\033[32m f61bfff45.0 \033[0m\033[32m ae8153b9.0 \033[0m\033[32m 930ac5d2.0 \033[0m\033[32m Deutsche_Telekom_Root_CA_2.pem \033[0m\033[32m 635ccfd5.0 \033[0m\033[32m 7651b327.0 \033[0m\033[32m 91739615.0 \033[0m\033[32m Verisign_Class_3_Public_Primary_Certification_Authority_-_G3.pem \033[0m\033[32m 72fa7371.0 \033[0m\033[32m DigiCert_H igh_Assurance_EV_Root_CA.pem \033[0m\033[32m 75d1b2ed.0 \033[0m\033[32m StartCom_Certification _Authority_2.pem \033[0m\033[32m 2ab3b959.0 \033[0m\033[32m Staat_der_Nederlanden_Root_CA.pem \033[0m\033[32m d6e6eab9.0 \033[0m\033[32m Security_Communication_EV_RootCA1.pem \033[0m\033[32m 8b59blad.0 \033[0m\033[32m NetLock_Express_=Class_C=_Root.pem \033[0m\033[32m ApplicationCA _-_Japanese_Government.pem \033[0m\033[32m 9c2e7d30.0 \033[0m\033[32m c491639e.0 \033[0m\033[32m 0d5a4e1c.0 \033[0m\033[32m 4e18c148.0 \033[0m\033[32m 3efd4dc0.0 \033[0m\033[32m 09789157.0 \033[0m\033[32m 3e45d192.0 \033[0m\033[32m GlobalSign_Root_CA_-_R2.pem \033[0m\033[32m WellsS ecur_Public_Root_Certificate_Authority.pem \033[0m\033[32m b42ff584.0 \033[0m\033[32m a760e1b d.0 \033[0m\033[32m eal69617.0 \033[0m\033[32m d06393bb.0 \033[0m\033[32m Network_Solutions_Ce rtificate_Authority.pem \033[0m\033[32m 58a44af1.0 \033[0m\033[32m 381ce4dd.0 \033[0m\033[32m CA_WoSign_ECC_Root.pem \033[0m\033[32m CA_Disig_Root_R2.pem \033[0m\033[32m 244b5494.0 \033[0m\033[32m QuoVadis_Root_CA_1_G3.pem \033[0m\033[32m bdacca6f.0 \033[0m\033[32m 6b99d060.0 \033[0m\033[32m Verisign_Class_3_Public_Primary_Certification_Authority.pem \033[0m\033[32m 17b51fe 6.0 \033[0m\033[32m 5443e9e3.0 \033[0m\033[32m 79ad8b43.0 \033[0m\033[32m AffirmTrust_Premium. pem \033[0m\033[32m 93bc0acc.0 \033[0m\033[32m 6fcc125d.0 \033[0m\033[32m Swisscom_Root_CA_1.p em \033[0m\033[32m ff783690.0 \033[0m\033[32m cbf06781.0 \033[0m\033[32m dfc0fe80.0 \033[0m\033[32m e442e424.0 \033[0m\033[32m 35105088.0 \033[0m\033[32m c5e082db.0 \033[0m\033[32m 106f3e4d.0 \033[0m\033[32m 21855f49.0 \033[0m\033[32m 8096d0a9.0 \033[0m\033[32m TÄ\234BÄ°TAK_UEKA E_KÄ¶k_Sertifika_Hizmet_SaÄ\237layÄ+cÄ+sÄ+_SÄ¼rÄ¼m_3.pem \033[0m\033[32m c28a8a30.0 \033[0m\033[32m ee64a828.0 \033[0m\033[32m 2add47b6.0 \033[0m\033[32m DigiCert_Assured_ID_Root_G2.pem \033[0m\033[32m b7a5b843.0 \033[0m\033[32m b6c5745d.0 \033[0m\033[32m fb126c6d.0 \033[0m\033[32m Certplus_Class_2_Primary_CA.pem \033[0m\033[32m 03f2b8cf.0 \033[0m\033[32m TÄ\234RKTRUST_E lektronik_Sertifika_Hizmet_SaÄ\237layÄ+cÄ+sÄ+_H6.pem \033[0m\033[32m 1dcd6f4c.0 \033[0m\033[32m Microsec_e-Szigno_Root_CA.pem \033[0m\033[32m 4bfbab552.0 \033[0m\033[32m StartCom_Certificat ion_Authority.pem \033[0m\033[32m GeoTrust_Primary_Certification_Authority_-_G3.pem \033[0m\033[32m RSA_Security_2048_v3.pem \033[0m\033[32m fc5a8f99.0 \033[0m\033[32m Visa_eCommerce_Ro ot.pem \033[0m\033[32m 594f1775.0 \033[0m\033[32m 450c6e38.0 \033[0m\033[32m GlobalSign_ECC_Ro ot_CA_-_R4.pem \033[0m\033[34m java \033[0m\033[32m 6645de82.0 \033[0m\033[32m 2ae6433e.0 \033[0m\033[32m IGC_A.pem \033[0m\033[32m Autoridad_de_Certificacion_Firmaprofesional_CIF_A6263406 8.pem \033[0m\033[32m VeriSign_Class_3_Public_Primary_Certification_Authority_-_G4.pem \033[0m\033[32m b872f2b4.0 \033[0m\033[32m d957f522.0 \033[0m\033[32m Security_Communication_Root_CA.

pem \033[0m\033[32m WoSign.pem \033[0m\033[32m 592c0a9a.0 \033[0m\033[32m a3896b44.0 \033[0m\033[32m Izenpe.com.pem \033[0m\033[32m 349f2832.0 \033[0m\033[32m TWCA_Root_Certification_Authority.pem \033[0m\033[32m 52b525c7.0 \033[0m\033[32m CNNIC_ROOT.pem \033[0m\033[32m fac084d7.0 \033[0m\033[32m Buypass_Class_3_Root_CA.pem \033[0m\033[32m DigiCert_Global_Root_CA.pem \033[0m\033[32m Certification_Authority_of_WoSign_G2.pem \033[0m\033[32m 455f1b52.0 \033[0m\033[32m fcac10e3.0 \033[0m\033[32m 27af790d.0 \033[0m\033[32m f38a011e.0 \033[0m\033[32m Trustis_FPS_Root_CA.pem \033[0m\033[32m Go_Daddy_Class_2_CA.pem \033[0m\033[32m 7651b327.1 \033[0m\033[32m EE_Certification_Centre_Root_CA.pem \033[0m\033[32m 399e7759.0 \033[0m\033[32m cb156124.0 \033[0m\033[32m ef954a4e.0 \033[0m\033[32m VeriSign_Class_3_Public_Primary_Certification_Authority_-_G5.pem \033[0m\033[32m 5cd81ad7.0 \033[0m\033[32m T-TeleSec_GlobalRoot_Class_3.pem \033[0m\033[32m 1f58a078.0 \033[0m\033[32m 415660c1.1 \033[0m\033[32m 111e6273.0 \033[0m\033[32m Swisscom_Root_CA_2.pem \033[0m\033[32m 7992b8bb.0 \033[0m\033[32m cb357862.0 \033[0m\033[32m 0d1b923b.0 \033[0m\033[32m 988a38cb.0 \033[0m\033[32m 48bec511.0 \033[0m\033[32m 3c6676aa.0 \033[0m\033[32m SecureSign_RootCA11.pem \033[0m\033[32m a94d09e5.0 \033[0m\033[32m PSCProcet.pem \033[0m\033[32m 18c1901b \033[0m\033[32m 5620c4aa.0 \033[0m\033[32m d6325660.0 \033[0m\033[32m e60bf0c0.0 \033[0m\033[32m NetLock_Arany_=Class_Gold=_FÅ221tanÃ°sÃ-tvÃ;ny.pem \033[0m\033[32m fde84897.0 \033[0m\033[32m 57bcb2da.0 \033[0m\033[32m Entrust.net_Premium_2048_Secure_Server_CA.pem \033[0m\033[32m 7a819ef2.0 \033[0m\033[32m 1eb37bdf.0 \033[0m\033[32m 82223c44.0 \033[0m\033[32m cd58d51e.0 \033[0m\033[32m SecureTrust_CA.pem \033[0m\033[32m 062cdee6.0 \033[0m\033[32m cf701eeb.0 \033[0m\033[32m f559733c.0 \033[0m\033[32m ccc52f49.0 \033[0m\033[32m SwissSign_Platinum_CA_-_G2.pem \033[0m\033[32m c679bc3f.0 \033[0m\033[32m Root_CA_Generalitat_Valenciana.pem \033[0m\033[32m 10531352.0 \033[0m\033[32m d59297b8.0 \033[0m\033[32m 6f2c1157.0 \033[0m\033[32m d4dae3dd.0 \033[0m\033[32m c8763593.0 \033[0m\033[32m Certigna.pem \033[0m\033[32m IdenTrust_Commercial_Root_CA_1.pem \033[0m\033[32m 12d55845.0 \033[0m\033[32m 219d9499.0 \033[0m\033[32m AffirmTrust_Commercial.pem \033[0m\033[32m 7f3d5d1d.0 \033[0m\033[32m 6410666e.0 \033[0m\033[32m GlobalSign_Root_CA_-_R3.pem \033[0m\033[32m Certinomis_-_AutoritÃ©_Racine.pem \033[0m\033[32m a7605362.0 \033[0m\033[32m 882de061.0 \033[0m\033[32m DigiCert_Global_Root_G3.pem \033[0m\033[32m ca-certificates.crt \033[0m\033[32m AffirmTrust_Premium_ECC.pem \033[0m\033[32m 9ab62355.0 \033[0m\033[32m d18e9066.0 \033[0m\033[32m e8de2f56.0 \033[0m\033[32m c51c224c.0 \033[0m\033[32m T-TeleSec_GlobalRoot_Class_2.pem \033[0m\033[32m 26eaad2f.0 \033[0m\033[32m ed62f4e3.0 \033[0m\033[32m 667c66d4.0 \033[0m\033[32m TC_TrustCenter_Class_3_CA_II.pem \033[0m\033[32m f30dd6ad.0 \033[0m\033[32m c47d9980.0 \033[0m\033[32m 5d63b0ae.0 \033[0m\033[32m DST_Root_CA_X3.pem \033[0m\033[32m 5e4e69e7.0 \033[0m\033[32m 034868d6.0 \033[0m\033[32m 052e396b.0 \033[0m\033[32m D-TRUST_Root_Class_3_CA_2_EV_2009.pem \033[0m\033[32m COMODO_ECC_Certification_Authority.pem \033[0m\033[32m ae8153b9.1 \033[0m\033[32m 74c26bd0.0 \033[0m\033[32m D-TRUST_Root_Class_3_CA_2_2009.pem \033[0m\033[32m 861a399d.0 \033[0m\033[32m Comodo_Secure_Services_root.pem \033[0m\033[32m 65b876bd.0 \033[0m\033[32m 961f5451.0 \033[0m\033[32m b0ed035a.0 \033[0m\033[32m 9d04f354.0 \033[0m\033[32m 23f4c490.0 \033[0m\033[32m 7999be0d.0 \033[0m\033[32m TURKTRUST_Certificate_Services_Provider_Root_2007.pem \033[0m\033[32m f90208f7.0 \033[0m\033[32m e536d871.0 \033[0m\033[32m Security_Communication_RootCA2.pem \033[0m\033[32m 3513523f.0 \033[0m\033[32m 4f316efb.0 \033[0m\033[32m d9d12c58.0 \033[0m\033[32m 749e9e03.0 \033[0m\033[32m dc45b0bd.0 \033[0m\033[32m ff588423.0 \033[0m\033[32m Baltimore_CyberTrust_Root.pem \033[0m\033[32m thawte_Primary_Root_CA.pem \033[0m\033[32m 157753a5.0 \033[0m\033[32m e73d606e.0 \033[0m\033[32m ssl-cert-snakeoil.pem \033[0m\033[32m 86212b19.0 \033[0m\033[32m 8d86cdd1.0 \033[0m\033[32m Staat_der_Nederlanden_EV_Root_CA.pem \033[0m\033[32m AddTrust_Low-Value_Services_Root.pem \033[0m\033[32m e7b8d656.0 \033[0m\033[32m 9007ae68.0 \033[0m\033[32m ACCVRAIZ1.pem \033[0m\033[32m Hellenic_Academic_and_Research_Institutions_RootCA_2011.pem \033[0m\033[32m SwissSign_Gold_CA_-_G2.pem \033[0m\033[32m ee90b008.0 \033[0m\033[32m dd8e9d41.0 \033[0m\033[32m ba89ed3b.0 \033[0m\033[32m a8dee976.0 \033[0m\033[32m 895cad1a.0 \033[0m\033[32m a0bc6fbb.0 \033[0m\033[32m b7e7231a.0 \033[0m\033[32m GeoTrust_Primary_Certification_Authority_-_G2.pem \033[0m\033[32m b3fb433b.0 \033[0m\033[32m GeoTrust_Primary_Certification_Authority.pem \033[0m\033[32m Camerfirma_Changers_of_Commerce_Root.pem \033[0m\033[32m 72f369af.0 \033[0m\033[32m AddTrust_Qualified_Certificates_Root.pem \033[0m\033[32m d853d49e.0 \033[0m\033[32m 631c779f.0 \033[0m\033[32m 5273a94c.0 \033[0m\033[32m 9d520b32.0 \033[0m\033[32m Certum_Root_CA.pem \033[0m\033[32m 9576d26b.0 \033[0m\033[32m OISTE_WISeKey_Global_Root_GA_CA.pem \033[0m\033[32m a2df7ad7.0 \033[0m\033[32m QuoVadis_Root_CA.pem \033[0m\033[32m 5a5372fc.0 \033[0m\033[32m 2d9daf e4.0 \033[0m\033[32m ef2f636c.0 \033[0m\033[32m Entrust_Root_Certification_Authority_-_EC1.pem \033[0m\033[32m Comodo_Trusted_Services_root.pem \033[0m\033[32m b0f3e76e.0 \033[0m\033[32m Verisign_Class_3_Public_Primary_Certification_Authority_-_G2.pem \033[0m\033[32m Secure_Global_CA.pem \033[0m\033[32m 3e7271e8.0 \033[0m\033[32m QuoVadis_Root_CA_3.pem \033[0m\033[32m b13cc6df.0 \033[0m\033[32m Starfield_Services_Root_Certificate_Authority_-_G2.pem \033[0m\033[32m cbeee9e2.0 \033[0m\033[32m c9f83alc.0 \033[0m\033[32m OISTE_WISeKey_Global_Root_GB_CA.pem \033[0m\033[32m 5a3f0ff8.0 \033[0m\033[32m Actalis_Authentication_Root_CA.pem \033[0m\033[32m Go_Da

ddy_Root_Certificate_Authority_-_G2.pem \033[0m\033[32m Verisign_Class_2_Public_Primary_Certification_Authority_-_G2.pem \033[0m\033[32m 0b1b94ef.0 \033[0m\033[32m DigiCert_Assured_ID_Root_CA.pem \033[0m\033[32m d78a75c7.0 \033[0m\033[32m 67d559d1.0 \033[0m\033[32m 9dbefe7b.0 \033[0m\033[32m cdaebb72.0 \033[0m\033[32m EBG_Elektronik_Sertifika_Hizmet_SaÄ237layÄcÄsÄ+.pem \033[0m\033[32m EC-ACC.pem \033[0m\033[32m COMODO_RSA_Certification_Authority.pem \033[0m\033[32m 87753b0d.0 \033[0m\033[32m 7d0b38bd.0 \033[0m\033[32m DigiCert_Global_Root_G2.pem \033[0m\033[32m UTN_USERFirst_Hardware_Root_CA.pem \033[0m\033[32m Hongkong_Post_Root_CA_1.pem \033[0m\033[32m ed39abd0.0 \033[0m\033[32m f081611a.0 \033[0m\033[32m Staat_der_Nederlanden_Root_CA_-_G2.pem \033[0m\033[32m GeoTrust_Universal_CA_2.pem \033[0m\033[32m 755f7420.0 \033[0m\033[32m 2e4eed3c.0 \033[0m\033[32m 95aff9e3.0 \033[0m\033[32m b7db1890.0 \033[0m\033[32m 5ad8a5d6.0 \033[0m\033[32m 5c44d531.0 \033[0m\033[32m 69105f4f.0 \033[0m\033[32m Starfield_Class_2_CA.pem \033[0m\033[32m 0d69c7e1.0 \033[0m\033[32m b1b8a7f3.0 \033[0m\033[32m f80cc7f6.0 \033[0m\033[32m Certinomis_-_Root_CA.pem \033[0m\033[32m S-TRUST_Authentication_and_Encryption_Root_CA_2005_PN.pem \033[0m\033[32m USERTrust_RSA_Certification_Authority.pem \033[0m\033[32m 5a4d6896.0 \033[0m\033[32m eed8c118.0 \033[0m\033[32m 00673b5b.0 \033[0m\033[32m 5cf9d536.0 \033[0m\033[32m AddTrust_External_Root.pem \033[0m\033[32m 861e0100.0 \033[0m\033[32m 33815e15.0 \033[0m\033[32m 3a3b02ce.0 \033[0m\033[32m 4a6481c9.0 \033[0m\033[32m 11f154d6.0 \033[0m\033[32m e113c810.0 \033[0m\033[32m CA_Disig_Root_R1.pem \033[0m\033[32m NetLock_Notary_=Class_A=_Root.pem \033[0m\033[32m DigiCert_Trusted_Root_G4.pem \033[0m\033[32m dbc54cab.0 \033[0m\033[32m ab5346f4.0 \033[0m\033[32m c5d3212a.0 \033[0m\033[32m 5046c355.0 \033[0m\033[32m 442adcac.0 \033[0m\033[32m Equifax_Secure_CA.pem \033[0m\033[32m CFCA_EV_ROOT.pem \033[0m\033[32m 9685a493.0 \033[0m\033[32m Verisign_Class_1_Public_Primary_Certification_Authority.pem \033[0m\033[32m 7d453d8f.0 \033[0m\033[32m bb2d49a0.0 \033[0m\033[32m aee5f10d.0 \033[0m\033[32m c19d42c7.0 \033[0m\033[32m 9282e51c.0 \033[0m\033[32m 1e09d511.0 \033[0m\033[32m thawte_Primary_Root_CA_-_G3.pem \033[0m\033[32m b8e83700.0 \033[0m\033[32m Certum_Trusted_Network_CA.pem \033[0m\033[32m 7a481e66.0 \033[0m\033[32m e2799e36.0 \033[0m\033[32m 9f533518.0 \033[0m\033[32m 1e08bfd1.0 \033[0m\033[32m 02265526.0 \033[0m\033[32m 524d9b43.0 \033[0m\033[32m 8160b96c.0 \033[0m\033[32m 7672ac4b.0 \033[0m\033[32m 02b73561.0 \033[0m\033[32m 63a2c897.0 \033[0m\033[32m 5f15c80c.0 \033[0m\033[32m ePKI_Root_Certification_Authority.pem \033[0m\033[32m QuoVadis_Root_CA_3_G3.pem \033[0m\033[32m 1ec4d31a.0 \033[0m\033[32m e8651083.0 \033[0m\033[32m QuoVadis_Root_CA_2_G3.pem \033[0m\033[32m Chambers_of_Commerce_Root_-_2008.pem \033[0m\033[32m S-TRUST_Universal_Root_CA.pem \033[0m\033[32m Cybertrust_Global_Root.pem \033[0m\033[32m TeliaSonera_Root_CA_v1.pem \033[0m\033[32m 7d5a75e4.0 \033[0m\033[32m 124bbd54.0 \033[0m\033[32m e36a6752.0 \033[0m\033[32m 1e8e7201.0 \033[0m\033[32m cb59f961.0 \033[0m\033[32m 60afe812.0 \033[0m\033[32m Atos_TrustedRoot_2011.pem \033[0m\033[32m b66938e9.0 \033[0m\033[32m Staat_der_Nederlanden_Root_CA_-_G3.pem \033[0m\033[32m NetLock_Qualified_=Class_QA=_Root.pem \033[0m\033[32m Sonera_Class_2_Root_CA.pem \033[0m\033[32m 40547a79.0 \033[0m\033[32m AffirmTrust_Networking.pem \033[0m\033[32m certSIGN_ROOT_CA.pem \033[0m\033[32m 1676090a.0 \033[0m\033[32m 33815e15.1 \033[0m\033[32m Bypass_Class_2_Root_CA.pem \033[0m\033[32m ACEDICOM_Root.pem \033[0m\033[32m c0ff1f52.0 \033[0m\033[32m 57bbd831.0 \033[0m\033[32m 81b9768f.0 \033[0m\033[32m 0c4c9b6c.0 \033[0m\033[32m Verisign_Class_3_Public_Primary_Certification_Authority_2.pem \033[0m\033[32m 67495436.0 \033[0m\033[32m 706f604c.0 \033[0m\033[32m E-Tugra_Certification_Authority.pem \033[0m\033[32m 790a7190.0 \033[0m\033[32m 116bf586.0 \033[0m\033[32m e48193cf.0 \033[0m\033[32m DST_ACES_CA_X6.pem \033[0m\033[32m e775ed2d.0 \033[0m\033[32m 76faf6c0.0 \033[0m\033[32m c089bbbd.0 \033[0m\033[32m 8470719d.0 \033[0m\033[32m 262ba90f.0 \033[0m\033[32m 24ad0b63.0 \033[0m\033[32m 2fa87019.0 \033[0m\033[32m UTN_USERFirst_Email_Root_CA.pem \033[0m\033[32m Global_Chambersign_Root_-_2008.pem \033[0m\033[32m USERTrust_ECC_Certification_Authority.pem \033[0m\033[32m Juur-SK.pem \033[0m\033[32m AC_RaÄz_CerticÄmara_S.A..pem \033[0m\033[32m 343eb6cb.0 \033[0m\033[32m GeoTrust_Universal_CA.pem \033[0m\033[32m 3ad48a91.0 \033[0m\033[32m cfa1c2ee.0 \033[0m\033[32m QuoVadis_Root_CA_2.pem \033[0m\033[32m 18c1901b.0 \033[0m\033[32m 2edf7016.0 \033[0m\033[32m facacbc6.0 \033[0m\033[32m 76cb8f92.0 \033[0m\033[32m 9d6523ce.0 \033[0m\033[32m d7e8dc79.0 \033[0m

872:

873: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11/xinit/xinitrc.d

874: \033[34m . \033[0m\033[34m .. \033[0m

875:

876: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/X11/fonts/Type1

877: \033[34m . \033[0m\033[0m lmodern.scale \033[0m\033[34m .. \033[0m

878:

879: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libvirt/qemu/networks

880: \033[0m **default**.xml \033[0m\033[34m autostart \033[0m\033[34m . \033[0m\033[34m .. \033[0m

881:


```
882: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libvirt/storage/autostart
883: \033[32m default.xml \033[0m\033[34m . \033[0m\033[34m .. \033[0m
884:
885: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/java/security/security.d
886: \033[0m 2000-org.bouncycastle.jce.provider.BouncyCastleProvider \033[0m\033[34m . \033[
0m\033[34m .. \033[0m
887:
888: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor/init/network-interface-securi
ty
889: \033[32m/sbin/dhclient \033[0m\033[34m . \033[0m\033[34m .. \033[0m
890:
891: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/abstractions/apparmor_api
892: \033[0m examine \033[0m\033[0m introspect \033[0m\033[0m find_mountpoint \033[0m\033[34
m . \033[0m\033[0m is_enabled \033[0m\033[34m .. \033[0m\033[0m change_profile \033[0m
893:
894: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/abstractions/ubuntu-browser
s.d
895: \033[0m ubuntu-integration \033[0m\033[0m kde \033[0m\033[0m ubuntu-integration-xul
\033[0m\033[0m java \033[0m\033[0m mailto \033[0m\033[0m productivity \033[0m\033[0m user-file
s \033[0m\033[34m . \033[0m\033[0m plugins-common \033[0m\033[0m multimedia \033[0m\033[34m ..
\033[0m\033[0m text-editors \033[0m
896:
897: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/snap/abstractions
898: \033[0m ibus \033[0m\033[0m ubuntu-console-browsers \033[0m\033[0m orbit2 \033[0m\033[0
m dbus-session \033[0m\033[0m ssl_certs \033[0m\033[0m aspell \033[0m\033[0m ruby \033[0m\033[
0m ubuntu-email \033[0m\033[0m winbind \033[0m\033[0m smbpass \033[0m\033[0m freedesktop.org
\033[0m\033[0m ubuntu-helpers \033[0m\033[0m kde \033[0m\033[0m user-download \033[0m\033[0m u
buntu-unity7-base \033[0m\033[0m kerberosclient \033[0m\033[0m ubuntu-unity7-launcher \033[0m
\033[0m base \033[0m\033[0m xad \033[0m\033[0m user-mail \033[0m\033[0m mdns \033[0m\033[0m po
stfix-common \033[0m\033[0m dbus \033[0m\033[0m nameservice \033[0m\033[0m dbus-strict \033[0m
\033[0m dconf \033[0m\033[0m p11-kit \033[0m\033[0m ubuntu-media-players \033[0m\033[0m video
\033[0m\033[0m ubuntu-konsole \033[0m\033[0m gnupg \033[0m\033[0m user-manpages \033[0m\033[0m
authentication \033[0m\033[0m user-write \033[0m\033[0m svn-repositories \033[0m\033[0m ubunt
u-xterm \033[0m\033[0m samba \033[0m\033[0m wutmp \033[0m\033[0m dbus-accessibility \033[0m
\033[0m dovecot-common \033[0m\033[0m nis \033[0m\033[0m launchpad-integration \033[0m\033[0m
private-files \033[0m\033[0m mysql \033[0m\033[34m apparmor_api \033[0m\033[0m python \033[0m
\033[0m ldapclient \033[0m\033[0m ubuntu-feed-readers \033[0m\033[34m ubuntu-browsers.d \033[0
m\033[0m gnome \033[0m\033[34m . \033[0m\033[0m openssl \033[0m\033[0m cups-client \033[0m\033
[0m ubuntu-console-email \033[0m\033[0m mir \033[0m\033[0m ubuntu-gnome-terminal \033[0m\033[0
m user-tmp \033[0m\033[0m nvidia \033[0m\033[0m enchant \033[0m\033[0m ssl_keys \033[0m\033[0m
apache2-common \033[0m\033[0m dbus-session-strict \033[0m\033[0m dbus-accessibility-strict
\033[0m\033[0m X \033[0m\033[0m likewise \033[0m\033[0m web-data \033[0m\033[0m ubuntu-unity7-
messaging \033[0m\033[0m fonts \033[0m\033[0m audio \033[0m\033[34m .. \033[0m\033[0m perl
\033[0m\033[0m private-files-strict \033[0m\033[0m xdg-desktop \033[0m\033[0m php5 \033[0m\033
[0m ubuntu-browsers \033[0m\033[0m bash \033[0m\033[0m consoles \033[0m\033[0m ubuntu-bittor
re-clients \033[0m
899:
900: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/tunables/xdg-user-dirs.d
901: \033[34m . \033[0m\033[34m .. \033[0m\033[0m site.local \033[0m
902:
903: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/tunables/home.d
904: \033[34m . \033[0m\033[34m .. \033[0m\033[0m ubuntu \033[0m
905:
906: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/tunables/multiarch.d
907: \033[34m . \033[0m\033[34m .. \033[0m
908:
909: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/panic
910: \033[34m . \033[0m\033[34m .. \033[0m
911:
912: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/local-top
913: \033[34m . \033[0m\033[34m .. \033[0m
914:
915: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/nfs-premount
```

```
916: \033[34m . \033[0m\033[34m .. \033[0m
917:
918: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/init-bottom
919: \033[34m . \033[0m\033[34m .. \033[0m
920:
921: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/init-premount
922: \033[34m . \033[0m\033[34m .. \033[0m
923:
924: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/local-premount
925: \033[34m . \033[0m\033[34m .. \033[0m
926:
927: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/nfs-bottom
928: \033[34m . \033[0m\033[34m .. \033[0m
929:
930: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/local-bottom
931: \033[34m . \033[0m\033[34m .. \033[0m
932:
933: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/init-top
934: \033[34m . \033[0m\033[34m .. \033[0m
935:
936: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/initramfs-tools/scripts/nfs-top
937: \033[34m . \033[0m\033[34m .. \033[0m
938:
939: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ufw/applications.d/apache2
940: \033[34m . \033[0m\033[34m .. \033[0m
941:
942: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/xdg/virt-builder/repos.d
943: \033[0m libguestfs.gpg \033[0m\033[0m opensuse.conf \033[0m\033[0m opensuse.gpg \033[0m
\033[34m . \033[0m\033[0m libguestfs.conf \033[0m\033[34m .. \033[0m
944:
945: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/java-7-openjdk/images/cursors
946: \033[0m cursors.properties \033[0m\033[34m . \033[0m\033[34m .. \033[0m
947:
948: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/paths.target.wants
949: \033[32m acpid.path \033[0m\033[34m . \033[0m\033[34m .. \033[0m
950:
951: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/sysinit.target.wants
952: \033[32m lvm2-lvmpolld.socket \033[0m\033[32m lvm2-monitor.service \033[0m\033[32m frie
ndly-recovery.service \033[0m\033[32m lvm2-lvmetad.socket \033[0m\033[34m . \033[0m\033[32m re
solvconf.service \033[0m\033[32m systemd-timesyncd.service \033[0m\033[32m iscsid.service \033
[0m\033[34m .. \033[0m\033[32m open-iscsi.service \033[0m
953:
954: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/default.target.wants
955: \033[34m . \033[0m\033[34m .. \033[0m\033[32m ureadahead.service \033[0m
956:
957: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/sockets.target.wants
958: \033[32m apport-forward.socket \033[0m\033[32m rpcbind.socket \033[0m\033[32m uidd.soc
ket \033[0m\033[32m virtlockd.socket \033[0m\033[32m dm-event.socket \033[0m\033[32m acpid.soc
ket \033[0m\033[32m virtlogd.socket \033[0m\033[34m . \033[0m\033[32m avahi-daemon.socket \033
[0m\033[34m .. \033[0m
959:
960: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/multi-user.target.wants
961: \033[32m thermal.service \033[0m\033[32m binfmt-support.service \033[0m\033[32m libvir
t-guests.service \033[0m\033[32m ssh.service \033[0m\033[32m libvirt-bin.service \033[0m\033[3
2m ufw.service \033[0m\033[32m pppd-dns.service \033[0m\033[32m networking.service \033[0m\033
[32m remote-fs.target \033[0m\033[32m cgproxy.service \033[0m\033[32m unattended-upgrades.serv
ice \033[0m\033[32m rsyslog.service \033[0m\033[32m cron.service \033[0m\033[32m nfs-client.ta
rget \033[0m\033[32m dns-clean.service \033[0m\033[32m cgmanager.service \033[0m\033[32m avahi
-daemon.service \033[0m\033[34m . \033[0m\033[32m lm-sensors.service \033[0m\033[32m nginx.ser
vice \033[0m\033[34m .. \033[0m\033[32m atd.service \033[0m\033[32m inetd.service \033[0m
962:
963: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/basic.target.wants
964: \033[32m firewalld.service \033[0m\033[34m . \033[0m\033[34m .. \033[0m
```

```
965:
966: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/graphical.target.wants
967: \033[32m accounts-daemon.service \033[0m\033[34m . \033[0m\033[34m .. \033[0m
968:
969: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/network-online.target.w
ants
970: \033[32m networking.service \033[0m\033[34m . \033[0m\033[34m .. \033[0m
971:
972: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/getty.target.wants
973: \033[34m . \033[0m\033[32m getty@tty1.service \033[0m\033[34m .. \033[0m
974:
975: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/timers.target.wants
976: \033[34m . \033[0m\033[32m apt-daily.timer \033[0m\033[34m .. \033[0m
977:
978: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/systemd/system/remote-fs.target.wants
979: \033[32m nfs-client.target \033[0m\033[34m . \033[0m\033[34m .. \033[0m
980:
981: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/ssl/certs/java
982: \033[34m . \033[0m\033[0m cacerts \033[0m\033[34m .. \033[0m
983:
984: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/libvirt/qemu/networks/autostart
985: \033[32m default.xml \033[0m\033[34m . \033[0m\033[34m .. \033[0m
986:
987: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/snap/abstractions/apparmor_
api
988: \033[0m examine \033[0m\033[0m introspect \033[0m\033[0m find_mountpoint \033[0m\033[34
m . \033[0m\033[0m is_enabled \033[0m\033[34m .. \033[0m\033[0m change_profile \033[0m
989:
990: /home/git/clones/3240/a2/brandon.k.rodriguez/etc/apparmor.d/snap/abstractions/ubuntu-br
rowsers.d
991: \033[0m ubuntu-integration \033[0m\033[0m kde \033[0m\033[0m ubuntu-integration-xul
\033[0m\033[0m java \033[0m\033[0m mailto \033[0m\033[0m productivity \033[0m\033[0m user-file
s \033[0m\033[34m . \033[0m\033[0m plugins-common \033[0m\033[0m multimedia \033[0m\033[34m ..
\033[0m\033[0m text-editors \033[0m
992:
993: valgrind results for testdir
994:
995: ==10603== Memcheck, a memory error detector
996: ==10603== Copyright (C) 2002-2015, and GNU GPL'd, by Julian Seward et al.
997: ==10603== Using Valgrind-3.11.0 and LibVEX; rerun with -h for copyright info
998: ==10603== Command: ./a.out testdir
999: ==10603==
1000: ==10603==
1001: ==10603== HEAP SUMMARY:
1002: ==10603==      in use at exit: 0 bytes in 0 blocks
1003: ==10603==    total heap usage: 40 allocs, 40 frees, 341,289 bytes allocated
1004: ==10603==
1005: ==10603== All heap blocks were freed -- no leaks are possible
1006: ==10603==
1007: ==10603== For counts of detected and suppressed errors, rerun with: -v
1008: ==10603== ERROR SUMMARY: 0 errors from 0 contexts (suppressed: 0 from 0)
1009:
1010: valgrind results for etc
1011:
1012: ==10621== Memcheck, a memory error detector
1013: ==10621== Copyright (C) 2002-2015, and GNU GPL'd, by Julian Seward et al.
1014: ==10621== Using Valgrind-3.11.0 and LibVEX; rerun with -h for copyright info
1015: ==10621== Command: ./a.out etc
1016: ==10621==
1017: ==10621==
1018: ==10621== HEAP SUMMARY:
1019: ==10621==      in use at exit: 0 bytes in 0 blocks
1020: ==10621==    total heap usage: 1,252 allocs, 1,252 frees, 11,458,110 bytes allocated
```

```
1021: ==10621==
1022: ==10621== All heap blocks were freed -- no leaks are possible
1023: ==10621==
1024: ==10621== For counts of detected and suppressed errors, rerun with: -v
1025: ==10621== ERROR SUMMARY: 0 errors from 0 contexts (suppressed: 0 from 0)
```